VOLUME 85 • AUTHOR INDEX

Abrahamsen HN *et al.* Sudden death following occlusion of the left coronary artery by a large stalky excrescense, **701**
Acar P *et al.* Assessment of the geometric profile of the Amplatzer and Cardioseal septal occluders by three dimensional echocardiography, **451**
Impaired cardiac adrenergic innervation assessed by MIBG imaging as a predictor of treatment response in childhood dilated cardiomyopathy, **692**
Aggarwal R *see* Sinha M *et al*
Aggeli C *see* Brili S *et al*
Ahmed W. Aneurysm of the mid-trabecular ventricular septal defect: a morphological novelty, **619**
Akkerhuis KM *et al.* Pharmacodynamics and safety of lefradafiban, an oral platelet glycoprotein IIb/IIIa receptor antagonist, in patients with stable coronary artery disease undergoing elective angioplasty, **444**
Akowuah EF *et al.* A subtle sign of aortic outflow obstruction in an infected 29 year old Starr-Edward's valve, **384**
Al MJ *see* Suryapranata H *et al*
Albert A *see* Lancellotti P *et al*
Al-Karaawi ZM *et al.* Dental procedures in children with severe congenital heart disease: a theoretical analysis of prophylaxis and non-prophylaxis procedures, **66**
Allan LD, Sharland GK. The echocardiographic diagnosis of totally anomalous pulmonary venous connection in the fetus, **433**
Allen J *et al.* Mitral regurgitation after anthracycline treatment for childhood malignancy, **430**
Al-Obaidi MK *et al.* Acute and convalescent changes in plasma homocysteine concentrations in acute coronary syndromes, **380**
Alp N *et al.* How should patients with patent foramen ovale be managed?: *editorial*, **242**
Alter P *et al.* Varicella myocarditis in an adult, **e2**
Altmiks R, Nathan AW. Left ventricular pacing via the great cardiac vein in a patient with tricuspid and pulmonary valve replacement, **91**
Amersey R *see* Al-Obaidi MK *et al*
Amin H *et al.* Coronary arterial-left ventricular fistulae, **648**
Ananthasubramaniam K *see* Haines A *et al*
Anderson J *see* Haluska B *et al*
Anderson RH *et al.* Anatomic basis of cross-sectional echocardiography: *Education*, **716**
Andreas S *see* Heindl S *et al*
Arbustini E *see* Prati F *et al*
Arnold AER *see* Bouma BJ *et al*
Arora B *see* Fox KF *et al*

Baandrup U *see* Abrahamsen HN *et al*
Baardman T *see* Akkerhuis KM *et al*
Bahadir S *see* Baykan M *et al*
Bailey CL *et al.* A new era in the treatment of primary pulmonary hypertension: *editorial*, **251**
Baker CSR, Baker LRI. Prevention of contrast nephropathy after cardiac catheterisation: *editorial*, **361**
Baker LRI *see* Baker CSR and Baker LRI
Banerjee S *see* Hemingway H *et al*
Banner NR *see* Dubrey SW *et al*
Banning AP *see* Alp N *et al*
see Bowling A *et al*
see Ferguson JD *et al*
Barakat K *et al.* Socioeconomic differentials in recurrent ischaemia and mortality after acute myocardial infarction, **390**
Barold SS. Initiation of pacemaker endless loop tachycardia by triboelectricity, **248**
Bartlett WA *see* Jones AF *et al*
Bassand J-P *see* Schiele F *et al*
Bassignot A *see* Schiele F *et al*
Batur MK *see* Schiele F *et al*
Baumann C *see* Spencer KT *et al*
Baumbach A *see* Schroeder S *et al*
Baumgart D *see* Eggebrecht H *et al*
Bax JJ *see* Bigi R *et al*
see Elhendy A *et al*
Baxter GF *see* Kiuchi K *et al*
see Yamashita N *et al*
Baykan EC *see* Baykan M *et al*
Baykan M *et al.* Behçet's disease with a large intracardiac thrombus: a case report, **e7**
Bayly GR *see* Jones AF *et al*
Beatt KJ *see* Pagano D *et al*
Bednarz J *see* Spencer KT *et al*
Bello BD *see* Prati F *et al*
Benit E *see* Vandergoten P *et al*
Benjamin N *see* Forte P *et al*
Ben-Shlomo Y *see* Fallon UB *et al*
Benson LN *see* Harrison DA *et al*
Berg G *see* Pell JP *et al*
Berríos X *see* Figueroa FE *et al*
Berry C, McMurray JJV. Serious adverse events experienced by patients with chronic heart failure taking spironolactone, **e8**
Bertaglia E *et al.* Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study: *letter*, **578**
Berthe C *see* Lancellotti P *et al*
Beygui F *see* le Feuvre C *et al*
Bhatia VK *see* Malik IS *et al*
Bhatia VK, Haskard DO. Markers of inflammation in unstable angina: *editorial*, **603**
Bhatnagar D *see* Durrington PN *et al*
Bholasingh R *et al.* Safe discharge from the cardiac emergency room with a rapid rule-out myocardial infarction protocol using serial CK-MB_{mass}, **143**
Bigi R *et al.* Incremental prognostic value of stress echocardiography as an adjunct to exercise electrocardiography after uncomplicated myocardial infarction, **417**
Birdi I *see* Goodwin AT *et al*
Blackman I *see* Bowling A *et al*
Bleckmann F *see* Ortlepp JR *et al*
Boccanelli A *see* Prati F *et al*
Bodenmüller M *see* de Marchi SF *et al*
Boekenkamp R *see* Peuster M *et al*
Bojić D *see* Otašević P *et al*
Bojić M *see* Otašević P *et al*
Bombardini T *et al.* Operator independent left ventricular function monitoring during pharmacological stress echo with the new peak transcutaneous acceleration signal, **286**
Bond M *see* Bowling A *et al*
Bonhoeffer P *see* Acar P *et al*
see Fraisse A *et al*
Bonnet D *see* Acar P *et al*
Bonser RS *see* Pagano D *et al*
Borghi B *see* Bombardini T *et al*
Bossi I *see* Mazzone A *et al*
Bouma BJ *et al.* Variability in treatment advice for elderly patients with aortic stenosis: a nationwide survey in the Netherlands, **196**
Bowling A *et al.* Equity in access to exercise tolerance testing, coronary angiography, and coronary artery bypass grafting by age, sex and clinical indications, **680**
Bozio A *see* Schleich J-M *et al*
Bracke FA *et al.* Pacemaker lead complications: when is extraction appropriate and what can we learn from published data?: *review*, **254**
Brant S *see* Levy T *et al*
Brecker SJ *see* Anderson RH *et al*
Brignole M *et al.* Implantable loop recorder: towards a gold standard for the diagnosis of syncope?: *editorial*, **610**
Brili S *et al.* Echocardiographic and signal averaged ECG indices associated with non-sustained ventricular tachycardia after repair of tetralogy of Fallot, **57**
Broomhead CJ, Colvin MP. Glucose, insulin, and the cardiovascular system: *editorial*, **495**
Brosens M *see* Vandergoten P *et al*
Brown K *see* Fox KF *et al*
Bruschke AVG *see* van Geel PP *et al*
Buchi S *see* Duru F *et al*
Buczkowski P *see* Jemielity M *et al*
Buddeberg C *see* Duru F *et al*
Bunce NH *see* Ortlepp JR *et al*
Burke MM *see* Dubrey SW *et al*
Byrne JA *et al.* Bilateral ostial coronary artery stenoses: an important presentation of Takayasu's arteritis, **555**

Çakirbay H *see* Baykan M *et al*
Calkins H. Radiofrequency catheter ablation of supraventricular arrhythmias: *Education*, **594**
Camici PG *see* Pagano D *et al*
Camm AJ *see* Savelieva I *et al*
Candinas R *see* Duru F *et al*
Carrión F *see* Figueroa FE *et al*
Case C *see* Haluska B *et al*
Caulfield F *see* Schiele F *et al*
Çelik Ş *see* Baykan M *et al*
Chan N *see* Vallance P and Chan N
Channer KS, Pugh PJ. Interfering with healing: the benefits of intervention during acute myocardial infarction, **620**
Channick RN *see* Bailey CL *et al*
Chaturvedi N *et al.* A comparison of left ventricular abnormalities associated with glucose intolerance in African Caribbeans and Europeans in the UK, **643**
Chaubert P *see* Mueller XM *et al*
Chen A *see* Fredriksen PM *et al*
Chiariello L *see* de Paulis R *et al*
Clarke N *see* Alp N *et al*

Claussen CD *see* Schroeder S *et al*
Coletta C *see* Bigi R *et al*
Colman JM *see* Siu SC and Colman JM
Colquhoun AD *see* Pell JP *et al*
Colvin MP *see* Broomhead CJ and Colvin MP
Committee Guideline for the management of patients with acute coronary syndromes without persistent ECG ST segment elevation, **133**
Connelly M *see* Harrison DA *et al*
Constantinides S *et al*. Acute thrombotic occlusion of the right coronary artery treated successfully with a helical thrombectomy device, **520**
Cooper GJ *see* Akowuah EF *et al*
Cooper J *see* Haines A *et al*
Costa MA *et al*. Three dimensional intravascular ultrasonic assessment of the local mechanism of restenosis after balloon angioplasty, **73**
Cotton JM *see* Byrne JA *et al*
Couetdic G *see* Schiele F *et al*
Coulden R *see* Sayeed R *et al*
Cowley AJ *see* Parsonage WA *et al*
see Staniforth AD *et al*
Crake T *see* Koh TW *et al*
Crea F. Role of nested case–control studies in the difficult quest for new coronary risk factors: *editorial*, **125**
Crean PA *see* Mulvihill NT *et al*
Crook AM *see* Hemingway H *et al*
Curtin R *see* Mulvihill NT *et al*

D'Aloia A *see* Faggiano P *et al*
Dalsey WC *see* Hillis GS *et al*
Dambrin G *see* le Feuvre C *et al*
D'Ambrosio A *et al*. The fate of acute myocarditis between spontaneous improvement and evolution to dilated cardiomyopathy: a review: *review*, **499**
Daou L *see* Fraisse A *et al*
Das R *et al*. Giant aneurysm of the right coronary artery presenting with a systolic murmur, **498**
Daskal I *see* Hillis GS *et al*
Davidson K *see* Pell JP *et al*
Davies C, Sahn D. Detection and significance of subclinical mitral regurgitation by colour Doppler techniques: *editorial*, **369**
Davies MK *see* Qasim A *et al*
Davies S *see* Ortlepp JR *et al*
Davignon A *see* Johnson D *et al*
Dawkins S *see* Wong Y *et al*
Dawson E *see* Fox KF *et al*
Dawson JR *see* Hemingway H *et al*
de Belder AJ *et al*. Development and validation of a Bayesian index for predicting major adverse cardiac events with percutaneous transluminal coronary angioplasty, **69**
de Belder MA. Acute myocardial infarction: failed thrombolysis: *Education*, **104**
de Boer MJ *see* Suryapranata H *et al*
Deckers JW *see* Akkerhuis KM *et al*
de Clercq A *see* Tavernier R *et al*
de Feyter PJ *see* Costa MA *et al*
de Gevigney G *see* Delahaye F and de Gevigney G
de Groot MJM *et al*. Assessment of coronary reperfusion in patients with myocardial infarction using fatty acid binding protein concentrations in plasma, **278**
Delahaye F, de Gevigney G. Should we give antibiotic prophylaxis against infective endocarditis in all cardiac patients, whatever the type of dental treatment?: *editorial*, **9**
Delgrange E *see* Donckier JE *et al*
Delvin E *see* Johnson D *et al*
de Marchi SF *et al*. Pulmonary venous flow velocity patterns in 404 individuals without cardiovascular disease, **23**
Demaria AN *see* Spencer KT *et al*
de Matteis GM *see* de Paulis R *et al*
de Paulis R *et al*. Aortic valve sparing operations, **5**
de Servi S *see* Mazzone A *et al*
Desideri A *see* Bigi R *et al*
D'Este D *see* Bertaglia E *et al*
de Sutter J *see* Tavernier R *et al*
Devane P *see* Fox KF *et al*
de Winter RJ *see* Bholasingh R *et al*
di Gioia CRT *see* Iacobellis G *et al*
di Lenarda A *see* D'Ambrosio A *et al*
di Sciascio G *see* D'Ambrosio A *et al*
Dodt C *see* Heindl S *et al*
Donckier JE *et al*. ECG abnormalities of endocrine origin, **679**
Dorian P *see* Savelieva I *et al*
Drake-Holland AJ *et al*. Acute pressure overload cardiac arrhythmias are dependent on the presence of myocardial tissue catecholamines: *letter*, **576**
Dreyfus G, Mihealainu S. The Batista procedure: *editorial*, **1**
Dubrey SW *et al*. Long term results of heart transplantation in patients with amyloid heart disease, **202**
Dudley N *see* Bowling A *et al*
Duncan AM *et al*. Electromechanical interrelations during dobutamine stress in normal subjects and patients with coronary artery disease: comparison of changes in activation and inotropic state, **411**
Dunning J *see* Sayeed R *et al*
Dunning JJ *see* Goodwin AT *et al*
Durmuş I *see* Baykan M *et al*
Durrington PN, Prais H. Methods for the prediction of coronary heart disease risk: *editorial*, **489**
Durrington PN *et al*. An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia, **544**
Duru F *et al*. How different from pacemaker patients are recipients of implantable cardioverter-defibrillators with respect to psychosocial adaptation, affective disorders, and quality of life?, **375**
Dyszkiewicz W *see* Jemielity M *et al*

Eber B *see* Bracke FA *et al*
Edelman K *see* Spencer KT *et al*
Egeblad H *see* Kim WY *et al*
see Knudsen AS *et al*
Eggebrecht H *et al*. Multiple penetrating atherosclerotic ulcers of the abdominal aorta: treatment by endovascular stent graft placement, **526**
Elder A *see* Bowling A *et al*
Elhendy A *et al*. Impact of hypertension on the accuracy of exercise stress myocardial perfusion imaging for the diagnosis of coronary artery disease, **655**
Elwood P *see* Fallon UB *et al*
Emmertsen K *see* Ravn HB *et al*
English KM *see* Das R *et al*
Erbel R *see* Eggebrecht H *et al*
Erdöl C *see* Baykan M *et al*
Erdöl H *see* Baykan M *et al*
Eteiba H *see* Pell JP *et al*

Faggiano P *et al*. Relative contribution of resting haemodynamic profile and lung function to exercise tolerance in male patients with chronic heart failure, **179**
Faichney A *see* Pell JP *et al*
Fallon UB *et al*. Homocysteine and coronary heart disease in the Caerphilly cohort: a 10 year follow up, **153**
Farzaneh-Far A *et al*. Vascular and valvar calcification: recent advances, **13**
Fath-Ordoubadi F *see* Pagano D *et al*
Feder G *see* Hemingway H *et al*
see Robson J and Feder G
Fedriga P *see* Bombardini T *et al*
Ferguson JD *et al*. Ultrasound guided percutaneous thrombin injection of iatrogenic femoral artery pseudoaneurysms after coronary angiography and intervention, **e5**
Fernández MS *see* Figueroa FE *et al*
Figueroa FE *et al*. Prospective comparison of clinical and echocardiographic diagnosis of rheumatic carditis: long term follow up of patients with subclinical disease, **407**
Fink C *see* Peuster M *et al*
Fiorentini C *see* Bigi R *et al*
Fioretti PM *see* Bigi R *et al*
Fischer JC *see* Bholasingh R *et al*
Fitzpatrick AP *see* Lipscomb KJ *et al*
Flapan A *see* Pell JP *et al*
Foley DP *see* Costa MA *et al*
Foley JB *see* Mulvihill NT *et al*
Fonteyne W *see* Tavernier R *et al*
Forte P *et al*. Does an impaired flow mediated vasodilatation predict hypertension in offspring hypertensive parents?: *editorial*, **131**
Fournier A *see* Johnson D *et al*
Fox KF *et al*. A cardiac prevention and rehabilitation programme for all patients at first presentation with coronary artery disease, **533**
Fraisse A *et al*. An unusual (subcarinal) case of pulmonary artery sling, **457**
France M *see* Durrington PN *et al*
Francis GS. Diabetic cardiomyopathy: fact or fiction?: *editorial*, **247**
Franco G *see* Staniforth AD *et al*
Fraser AG *see* Vinereanu D *et al*
Fraser CG *see* MacFadyen RJ *et al*
Fredriksen PM *et al*. Exercise capacity in adult patients with congenitally corrected transposition of the great arteries, **191**
Lung function and aerobic capacity in adult patients following modified Fontan procedure, **295**
Fritz-Hansen T *see* Nilsson JC *et al*
Frizelle DJ *see* Lewin RJP *et al*
Fukuda D *et al*. Lesion characteristics of acute myocardial infarction: an investigation with intravascular ultrasound, **402**
Furuichi S *et al*. Bilateral Winslow's pathways, **401**

Gaggini G *see* Bombardini T *et al*
Galati A *see* Bigi R *et al*
Galiè N, Torbicki A. Pulmonary arterial hypertension:: *Education*, **475**

Game FL *see* Jones AF *et al*
Garberoglio B *see* Bombardini T *et al*
García J *see* Martí V *et al*
Garcia-Civera R *see* Brignole M *et al*
Gaster AL *see* Costa MA *et al*
Gatzoulis K *see* Brili S *et al*
Gawaz M *see* Müller I *et al*
Gelbier M *see* Al-Karaawi ZM *et al*
Genton C-Y *see* Mueller XM *et al*
Georg C *see* Schroeder S *et al*
Gevaert S *see* Tavernier R *et al*
Gewillig M *see* Schleich J-M *et al*
Ghahramani P *see* Sanmuganathan PS *et al*
Gibbs JL *see* Allen J *et al*
Gibbs JSR *see* Thorns AR *et al*
Gibbs LME *see* Thorns AR *et al*
Gibson DG *see* Duncan AM *et al*
see Li W *et al*
Giordano A *see* Faggiano P *et al*
Glascock B *see* Spencer KT *et al*
Glatz JFC *see* de Groot MJM *et al*
Goodwin AT *et al*. Effect of surgical training on outcome and hospital costs in coronary surgery, **454**
Granton J *see* Fredriksen PM *et al*
Grimm W *see* Alter P *et al*
Groenning BA *see* Nilsson JC *et al*
Grubb NR. Managing out-of-hospital cardiac arrest survivors: 1. Neurological perspective: *editorial*, **6**
Managing out-of-hospital cardiac arrest survivors: 2. Cardiological perspective: *editorial*, **123**
Grunfeld JP *see* le Feuvre C *et al*
Gualeni A *see* Faggiano P *et al*
Gyntelberg F *see* Hein HO *et al*

Haferkamp H *see* Peuster M *et al*
Haines A *et al*. Psychological characteristics and fatal ischaemic heart disease, **385**
Hall R *see* Forte P *et al*
Hall R. QED: Quality, Education, and Dialogue: *editorial*, **241**
Hall RJC *see* Oakley CM and Hall RJC
Haluska B *et al*. Effect of power Doppler and digital subtraction techniques on the comparison of myocardial contrast echocardiography with SPECT, **549**
Hamilton JRL *see* Zaglavara T *et al*
Hancock J *see* Spencer KT *et al*
Hanlon P *see* Lindsay GM *et al*
Hanrath P *see* Ortlepp JR *et al*
Hanratty CG *et al*. The effects of oral methionine and homocysteine on endothelial function, **326**
Hansen A *et al*. Echocardiographic diagnosis of Bland-White-Garland syndrome, **152**
Harrison DA *et al*. Endovascular stents in the management of coarctation of the aorta in the adolescent and adult: one year follow up, **561**
Hasenfuss G *see* Heindl S *et al*
Hashimoto H *see* Kiuchi K *et al*
Haskard DO *see* Bhatia VK and Haskard DO
Hatzos C *see* Brili S *et al*
Hausdorf G *see* Peuster M *et al*
Hawkins PN *see* Dubrey SW *et al*
Hechter S *see* Fredriksen PM *et al*
Heidland UE *et al*. Risk factors for the development of restenosis following stent implantation of venous bypass grafts, **312**
Hein HO *et al*. Lewis phenotypes, leisure time physical activity, and risk of ischaemic heart disease: an 11 year follow up in the Copenhagen male study, **159**
Heindl S *et al*. Short term effect of continuous positive airway pressure on muscle sympathetic nerve activity in patients with chronic heart failure, **185**
Heintzen MP *see* Heidland UE *et al*
Helft G *see* le Feuvre C *et al*
Hemingway H *et al*. Hypothetical ratings of coronary angiography appropriateness: are they associated with actual angiographic findings, mortality, and revascularisation rate? The ACRE study, **672**
Henein MY *see* Duncan AM *et al*
see Li W *et al*
Henning RH *see* van Geel PP *et al*
Herdeg C *see* Schroeder S *et al*
Hermens WT *see* de Groot MJM *et al*
Herold U *see* Eggebrecht H *et al*
Hetmanski D *see* Parsonage WA *et al*
Hildick-Smith DJR, Shapiro LM. Echocardiographic differentiation of pathological and physiological left ventricular hypertrophy, **615**
Hillis GS *et al*. Altered CD18 leucocyte integrin expression and adhesive function in patients with an acute coronary syndrome: *letter*, **702**
Hjortdal VE *see* Ravn HB *et al*
Ho SY *see* Anderson RH *et al*
Hof AWJV *see* Suryapranata H *et al*
Hoffmann J *see* Akkerhuis KM *et al*
Hoffmann R *see* Ortlepp JR *et al*
Hogg KJ *see* Pell JP *et al*
Hong M-K *et al*. Serial follow up of intramural haematoma associated with lumen compromise after intracoronary intervention, **79**
Hoorntje JCA *see* Suryapranata H *et al*
Horstkotte D *see* Piper C *et al*
Hoshida S *see* Kamei J *et al*
Humen DP *see* King KM *et al*

Iacobellis G *et al*. Asymptomatic right atrial myxoma in acromegalic man: a case of Carney complex, **86**
Ionescu AA *see* Vinereanu D *et al*
Iserin L *see* Acar P *et al*
Iserin L. Management of pregnancy in women with congenital heart disease: *editorial*, **493**
Iyer S *see* Sinha M *et al*

Jackson M *see* Somauroo JD *et al*
Jackson PR *see* Sanmuganathan PS *et al*
Jakob H *see* Eggebrecht H *et al*
Jazayeri S *see* L'Huillier I *et al*
Jeffrey RR *see* Pell JP *et al*
Jemielity M *et al*. Do patients over 40 years of age benefit from surgical closure of atrial septal defects?, **300**
Jennings K *see* Pell JP *et al*
Jensen GB *see* Nilsson JC *et al*
Jensen HK *see* Kim WY *et al*
Jensen SE *see* Knudsen AS *et al*
Jewitt DE *see* de Belder AJ *et al*
Jewkes C *see* Jones AF *et al*
Johnson D *et al*. Resetting of the cardiopulmonary baroreflex 10 years after surgical repair of coarctation of the aorta, **318**
Johnston GD *see* Hanratty CG *et al*
Jones AF *et al*. Comparative accuracy of cardiovascular risk prediction methods in primary care patients, **37**
Jones R *see* Constantinides S *et al*
Jordaens L *see* Tavernier R *et al*
Jukema JW *see* van Geel PP *et al*
Julier K *see* Durrington PN *et al*

Kachaner J *see* Acar P *et al*
see Acar P *et al*
Kaese V *see* Peuster M *et al*
Kakuchi H *see* Furuichi S *et al*
Kamei J *et al*. Double orifice mitral valve associated with non-compaction of left ventricle, **504**
Karsch KR *see* Schroeder S *et al*
Karthikeyan V *see* Haines A *et al*
Kastelein JJP *see* van Geel PP *et al*
Kawano Y *see* Yasuda M *et al*
Kawarabayashi T *see* Fukuda D *et al*
Kay IP *see* Costa MA *et al*
Kaye GC *see* Lewin RJP *et al*
Kenny A *see* Zaglavara T *et al*
Khaghani A *see* Dubrey SW *et al*
Khan MA *see* Durrington PN *et al*
Khattar RS, Swales JD. Pulse pressure and prognosis: *editorial*, **484**
Kim S-E *see* Park S-H *et al*
Kim WY *et al*. Three dimensional echocardiography documents haemodynamic improvement by biventricular pacing in patients with severe heart failure, **514**
Kimball TR *see* Spencer KT *et al*
King KM *et al*. Psychosocial components of cardiac recovery and rehabilitation attendance, **290**
Kinnear WJM *see* Staniforth AD *et al*
Kitamura-Sasaka F *see* Shimoyama M *et al*
Kiuchi K *et al*. Increased serum concentrations of advanced glycation end products: a marker of coronary artery disease activity in type 2 diabetic patients, **87**
Klaghofer R *see* Duru F *et al*
Knight CJ. National Institute for Clinical Excellence guidance: too NICE to glycoprotein IIb/IIIa inhibitors?: *editorial*, **481**
Knudsen AS *et al*. Pneumopyopericardium, complicating penetrating gastric ulcer, **285**
Koch D *see* Vazquez-Jimenez JF *et al*
Koh TW *et al*. Ostial left anterior descending artery stenosis undetected on angiography: role of intravascular ultrasound, **264**
Kooner JS *see* Malik IS *et al*
Kopp AF *see* Schroeder S *et al*
Körfer R *see* Piper C *et al*
Koster RW *see* Bholasingh R *et al*
Kozuma K *see* Costa MA *et al*
Krahwinkel M *see* Heindl S *et al*
Krishnamoorthy KM. Angiographic features of endomyocardial fibrosis, **12**
Unicuspid aortic valve, **217**
Kristensen B[ ] *see* Kim WY *et al*
Kristensen IB *see* Abrahamsen HN *et al*
Kromann O *see* Ravn HB *et al*
Kubo K *see* Watanabe N and Kubo K
Kuch-Wocial A *see* Pruszczyk P *et al*

Kuecherer H *see* Hansen A *et al*
Kuettner A *see* Schroeder S *et al*
Kuribayashi S *see* Yamagishi M *et al*
Kwan OL *see* Spencer KT *et al*

Lab M *see* Drake-Holland AJ *et al*
Labellarte A *see* Prati F *et al*
Lai DL *see* de Marchi SF *et al*
Lanas F *see* Figueroa FE *et al*
Lancellotti P *et al*. Full recovery of contraction late after acute myocardial infarction: determinants and early predictors, **521**
Lang RM *see* Spencer KT *et al*
Large SR *see* Goodwin AT *et al*
Larsson HBW *see* Nilsson JC *et al*
Lauer B *et al*. A "new" coronary anomaly: origin of the right coronary artery below the aortic valve, **486**
Lauscher J *see* Ortlepp JR *et al*
Lazzam C *see* Harrison DA *et al*
le Feuvre C *et al*. Clinical outcome following coronary angioplasty in dialysis patients: a case–control study in the era of coronary stenting, **556**
Lefroy D *see* Lipscomb KJ *et al*
Levy T *et al*. Importance of rate control or rate regulation for improving exercise capacity and quality of life in patients with permanent atrial fibrillation and normal left ventricular function: a randomised controlled study, **171**
No incremental benefit of multisite atrial pacing compared with right atrial pacing in patients with drug refractory paroxysmal atrial fibrillation, **48**
Lewin RJP *et al*. A rehabilitative approach to patients with internal cardioverter-defibrillators: *editorial*, **371**
Lewis IJ *see* Allen J *et al*
L'Huillier I *et al*. Acute mitral valve dysfunction: a new case of leaflet escape, **513**
Li W *et al*. Progressive ECG changes before the onset of atrial flutter in adult congenital heart disease patients: *letter*, **703**
Lie KI *see* Bouma BJ *et al*
Ligthart JMR *see* Costa MA *et al*
Lindsay GM *et al*. The influence of general health status and social support on symptomatic outcome following coronary artery bypass grafting, **80**
Lipscomb KJ *et al*. Slow pathway modification for atrioventricular node re-entrant tachycardia: fast junctional tachycardia predicts adverse prognosis, **44**
Liu P *see* Fredriksen PM *et al*
Livesey SA *see* Wong Y *et al*
Lotzinker M *see* Mazzone A *et al*
Lowe GDO. Who should take aspirin for primary prophylaxis of coronary heart disease?: *editorial*, **245**
Lowe R *see* Osula S *et al*
Lucas VS *see* Al-Karaawi ZM *et al*
Luderitz B *see* Savelieva I *et al*

McArthur J *see* Pell JP *et al*
McAuley DF *see* Hanratty CG *et al*
McClay M *see* Bowling A *et al*
MacFadyen RJ *et al*. Intermittent non-adherence with ACE inhibitor treatment and its implications for clinical trials results, **213**
McGrath LT *see* Hanratty CG *et al*
McKee D *see* Bowling A *et al*
McKeigue PM *see* Chaturvedi N *et al*
Mackness MI *see* Durrington PN *et al*
McLaughlin PR *see* Harrison DA *et al*
McLeod AL *et al*. Ultrasound guided stenting: *editorial*, **605**
McMahon CJ *et al*. Right aortic arch and coarctation: delineation by three dimensional magnetic resonance angiogram, **492**
McMurray JJV *see* Berry C and McMurray JJV
Magee PG *see* Hemingway H *et al*
Maggioni AP. Treatment strategies for heart failure: β blockers and antiarrhythmics: *Education*, **97**
Maisch B *see* Alter P *et al*
Malik IS *et al*. Cost effectiveness of ramipril treatment for cardiovascular risk reduction, **539**
Mallus MT *see* Prati F *et al*
Mankad P *see* Pell JP *et al*
Manzoli A *see* D'Ambrosio A *et al*
Marcelli E *see* Bombardini T *et al*
Mariani G *see* Mazzone A *et al*
Marmot MG *see* Chaturvedi N *et al*
Marshall T *see* Jones AF *et al*
Martí V *et al*. Coronary milking-like effect caused by systolic expansion of a traumatic focal left ventricular aneurysm, **622**
Martin A *see* Bowling A *et al*
Martin V *see* Ferguson JD *et al*
Marwick TH *see* Haluska B *et al*
Mason M *see* Levy T *et al*
Mattmann H *see* Duru F *et al*
Mayr H *see* Bracke FA *et al*
Mazzone A *et al*. Increased concentrations of inflammatory mediators in unstable angina: correlation with serum troponin T, **571**
Mazzucchelli I *see* Mazzone A *et al*
Meade TW *see* Haines A *et al*
Meijer A *see* Bracke FA *et al*
Meloni F *see* Mazzone A *et al*
Meneveau N *see* Schiele F *et al*
Menozzi C *see* Brignole M *et al*
Mereles D *see* Hansen A *et al*
Merlet P *see* Acar P *et al*
Metzger JP *see* le Feuvre C *et al*
Meunier JP *see* L'Huillier I *et al*
Michel CJ *see* Heidland UE *et al*
Michel L *see* Donckier JE *et al*
Mihealainu S *see* Dreyfus G and Mihealainu S
Mills RM *see* Reginelli JP and Mills RM
Mineda Y *see* Yasuda M *et al*
Mohiaddin RH *see* Ortlepp JR *et al*
Monaghan MJ *see* Spencer KT *et al*
Money-Kyrle A *see* Koh TW *et al*
Mor-Avi V *see* Spencer KT *et al*
Morgan J *see* Durrington PN *et al*
Mortensen PT *see* Kim WY *et al*
Moya A *see* Brignole M *et al*
M augé J *see* Martí V *et al*
Mueller XM *et al*. Does laser injury induce a different neovascularisation pattern from mechanical or ischaemic injuries?, **697**
Muhler EG *see* Vazquez-Jimenez JF *et al*
Muijtjens AMM *see* de Groot MJM *et al*
Muller I *et al*. Effect of a high loading dose of clopidogrel on platelet function in patients undergoing coronary stent placement: *letter*, **92**
Mulvihill NT *et al*. Risk stratification in unstable angina and non-Q wave myocardial infarction using soluble cell adhesion molecules, **623**
Muro T *et al*. Prediction of contractile reserve by cyclic variation of integrated backscatter of the myocardium in patients with chronic left ventricular dysfunction, **165**
Murphy RT *see* Mulvihill NT *et al*

Nabar A *et al*. Class IC antiarrhythmic drug induced atrial flutter: electrocardiographic and electrophysiological findings and their importance for long term outcome after right atrial isthmus ablation, **424**
Nakata Y *see* Yasuda M *et al*
Nangione A *see* Hillis GS *et al*
Nakazato K *see* Yasuda M *et al*
Nakazato Y *see* Yasuda M *et al*
Nashef SAM *see* Goodwin AT *et al*
Nathan AW *see* Altmiks R and Nathan AW
Nejima J *see* Kiuchi K *et al*
Nešković AN *see* Otašević P *et al*
Nibbering E *see* Suryapranata H *et al*
Nielsen G *see* Nilsson JC *et al*
Niemeyer M *see* Peuster M *et al*
Nihill MR *see* McMahon CJ *et al*
Nihoyannopoulos P *see* Chaturvedi N *et al*
Nilsson JC *et al*. Sustained postinfarction myocardial oedema in humans visualised by magnetic resonance imaging, **639**
Nishibori Y *see* Fukuda D *et al*
Nishida Y *see* Fukuda D *et al*
Nishino M *see* Kamei J *et al*
Noble M *see* Drake-Holland AJ *et al*
Noble MIM *see* Al-Obaidi MK *et al*
Nonogi H *see* Furuichi S *et al*
Norrie J *see* Pell JP *et al*
Norris RM, SHARP Investigators A new performance indicator for acute myocardial infarction, **395**
Northridge DB *see* McLeod AL *et al*
Nuttall M *see* Fox KF *et al*

Oakley CM, Hall RJC. Endocarditis: problems—patients being treated for endocarditis and not doing well: *Education*, **470**
O'Brien E. Blood pressure measurement is changing!: *editorial*, **3**
O'Brien KD *see* Otto CM and O'Brien KD
Ohme F *see* Ortlepp JR *et al*
Ohnesorge B *see* Schroeder S *et al*
Ohta M *see* Kiuchi K *et al*
Oldroyd K *see* Pell JP *et al*
Onyeaka CVP *see* Akowuah EF *et al*
Örem C *see* Baykan M *et al*
Ortlepp JR *et al*. The vitamin D receptor genotype predisposes to the development of calcific aortic valve stenosis, **635**
Osula S *et al*. Cardiac rupture caused by *Staphylococcus aureus* septicaemia and pericarditis: an incidental finding, **e4**
O'Sullivan CA *see* Duncan AM *et al*
O'Sullivan JJ *see* Wren C and O'Sullivan JJ
Ota T *see* Muro T *et al*
Otašević P *et al*. Short early filling deceleration time on day 1 after acute myocardial infarction is associated with short and long term left ventricular remodelling, **527**
Oteo JF *see* Toquero J *et al*
Ottervanger JP *see* Suryapranata H *et al*
Ottini E *see* Mazzone A *et al*

Otto CM, O'Brien KD. Why is there discordance between calcific aortic stenosis and coronary artery disease?: *editorial*, **601**

Pacho R *see* Pruszczyk P *et al*
Pagano A *see* Prati F *et al*
Pagano D *et al.* Effects of coronary revascularisation on myocardial blood flow and coronary vasodilator reserve in hibernating myocardium, **208**
Paluszkiewicz L *see* Jemielity M *et al*
Pantanowitz L. Fat infiltration in the heart, **253**
Paquette M *see* Savelieva I *et al*
Park S-H *et al.* Left main coronary artery aneurysm with chronic total occlusion of both left coronary arteries in a young athlete, **e1**
Park S-J *see* Hong M-K *et al*
Park S-W *see* Hong M-K *et al*
Parsonage WA, Silverton NP. Multiple cerebral haemorrhage following thrombolysis for acute anterior myocardial infarction, **294**
Parsonage WA *et al.* Beneficial haemodynamic effects of insulin in chronic heart failure, **508**
Pascotto P *see* Bertaglia E *et al*
Patti G *see* D'Ambrosio A *et al*
Paul V *see* Levy T *et al*
see Levy T *et al*
Pedersen AK *see* Kim WY *et al*
Pedersen J *see* Ravn HB *et al*
Peels HOJ *see* Akkerhuis KM *et al*
Pell ACH *see* Pell JP *et al*
Pell JP *et al.* Outcomes following coronary artery bypass grafting and percutaneous transluminal coronary angioplasty in the stent era: a prospective study of all 9890 consecutive patients operated on in Scotland over a two year period, **662**
Pennell D. Cardiovascular magnetic resonance: *Education*, **581**
Penny WJ. Patient delay in calling for help: the weakest link in the chain of survival?: *editorial*, **121**
Perek B *see* Jemielity M *et al*
Perez JE *see* Spencer KT *et al*
Perrault H *see* Johnson D *et al*
Perry RA *see* Osula S *et al*
see Somauroo JD *et al*
Peters RJG *see* Bholasingh R *et al*
Peuster M *et al.* Dissolution of tungsten coils leads to device failure after transcatheter embolisation of pathologic vessels: *letter*, **703**
Phan CL *see* King KM *et al*
Philpott S *see* Hemingway H *et al*
Picano E *see* Bombardini T *et al*
Piérard LA *see* Lancellotti P *et al*
Pinto YM *see* van Geel PP *et al*
Piper C *et al.* Prosthetic valve endocarditis: *Education*, **590**
Pitcher EM *see* Wilde P *et al*
Pitsavos C *see* Brili S *et al*
Plicchi G *see* Bombardini T *et al*
Pogatsa-Murray G *see* Müller I *et al*
Poldermans D *see* Elhendy A *et al*
Poniżyński A *see* Jemielity M *et al*
Popović AD *see* Otašević P *et al*
Popović Z *see* Otašević P *et al*
Poredos P *see* zizek B *et al*
Prais H *see* Durrington PN and Prais H
Prati F *et al.* Correlation between high frequency intravascular ultrasound and histomorphology in human coronary arteries, **567**
Proudfoot D *see* Farzaneh-Far A *et al*
Pruszczyk P *et al.* Diagnostic value of transoesophageal echocardiography in suspected haemodynamically significant pulmonary embolism, **628**
Pugh PJ *see* Channer KS and Pugh PJ
Pyatt JR *see* Somauroo JD *et al*

Qasim A *et al.* Ecstasy induced acute myocardial infarction, **e10**

Rahimtoola SH. Should patients with asymptomatic mild or moderate aortic stenosis undergoing coronary artery bypass surgery also have valve replacement for their aortic stenosis?: *Education*, **337**
Ramesh TPJ *see* Goodwin AT *et al*
Ramsay LE *see* Sanmuganathan PS *et al*
Ramsdale DR *see* Somauroo JD *et al*
Ranjadayalan K *see* Barakat K *et al*
Ravn HB *et al.* Increased platelet reactivity and significant changes in coagulation markers after cavopulmonary connection, **61**
Razack V *see* Veldtman GR *et al*
Reginelli JP, Mills RM. Non-cardiac surgery in the heart failure patient, **505**
Rex S *see* Levy T *et al*
Rey C *see* Schleich J-M *et al*
Riedel M. Acute pulmonary embolism 1: pathophysiology, clinical presentation, and diagnosis: *Education*, **229**
Acute pulmonary embolism 2: treatment: *Education*, **351**
Emergency diagnosis of pulmonary embolism: *editorial*, **607**
Rigatelli G *see* Rigatelli G *et al*
see Staniforth AD *et al*
Rigatelli G *et al.* Magnetic resonance image of a large, fatal angiosarcoma of the heart, **325**
Roberts GJ *see* Al-Karaawi ZM *et al*
Robson J, Feder G. Predicting and reducing cardiovascular risk: *editorial*, **487**
Rochelle J *see* Levy T *et al*
Rodriguez LM *see* Nabar A *et al*
Rodwell A *see* Wong Y *et al*
Roelandt JRTC *see* Elhendy A *et al*
Román JAS *see* Vilacosta I and Román JAS
Rottiers H *see* Tavernier R *et al*
Rubin LJ *see* Bailey CL *et al*
Rudiger S *see* Müller I *et al*
Ryu SK *see* Park S-H *et al*

Sabaté M *see* Costa MA *et al*
Sahn D *see* Davies C and Sahn D
Saliba Z *see* Acar P *et al*
Sanders GT *see* Bholasingh R *et al*
Sanmuganathan PS *et al.* Aspirin for primary prevention of coronary heart disease: safety and absolute benefit related to coronary risk derived from meta-analysis of randomised trials, **265**
Satchithananda DK *et al.* Bacterial endocarditis following repeated tattooing, **11**
Savelieva I *et al.* Quality of life in patients with silent atrial fibrillation: *letter*, **216**
Sayeed R *et al.* Improvement in the pulmonary circulation following pulmonary thromboendarterectomy, **612**
Schömig A *see* Müller I *et al*
Schiele F. The "angioplastically correct" follow up strategy after stent implantation: *editorial*, **363**
Schiele F *et al.* Cytomegalovirus, *Chlamydia pneumoniae*, and *Helicobacter pylori* IgG antibodies and restenosis after stent implantation: an angiographic and intravascular ultrasound study, **304**
Schleich J-M *et al.* Spontaneous closure of congenital coronary artery fistulas, **e6**
Schofield PM *see* Satchithananda DK *et al*
Schroeder S *et al.* Non-invasive characterisation of coronary lesion morphology by multi-slice computed tomography: a promising new technology for risk stratification of patients with coronary artery disease: *letter*, **576**
Schuler G *see* Lauer B *et al*
Sedgwick JEC. Absolute, attributable, and relative risk in the management of coronary heart disease: *editorial*, **491**
Seiler C *see* de Marchi SF *et al*
Sekita G *see* Yasuda M *et al*
Sensky T *see* Duru F *et al*
see Wray J and Sensky T
Seronde MF *see* Schiele F *et al*
Serruys PW *see* Costa MA *et al*
see van Langenhove G *et al*
Sewoke P *see* Schiele F *et al*
Seyfarth M *see* Müller I *et al*
Shanahan C *see* Farzaneh-Far A *et al*
Shapiro LM *see* Hildick-Smith DJR and Shapiro LM
Shapiro LM. Cardiac tumours: diagnosis and management: *Education*, **218**
Sharland GK *see* Allan LD and Sharland GK
Shepherd J. The statin era: in search of the ideal lipid regulating agent, **259**
Shigemasa C *see* Shimoyama M *et al*
Shimada K *see* Fukuda D *et al*
Shimoyama M *et al.* Metastatic cardiac squamous cell carcinoma arising in the left ventricle, **507**
Shiu MF *see* Constantinides S *et al*
Short L *see* Haluska B *et al*
Sidi D *see* Acar P *et al*
see Acar P *et al*
Silverton NP *see* Parsonage WA and Silverton NP
Silvestri F *see* D'Ambrosio A *et al*
Simoons ML *see* Akkerhuis KM *et al*
see de Groot MJM *et al*
Simpson IA *see* Wong Y *et al*
Sinagra G *see* D'Ambrosio A *et al*
Sinha M *et al.* Sinus of Valsalva aneurysm rupture into the left atrium, **483**
Siu S *see* Fredriksen PM *et al*
Siu SC, Colman JM. Heart disease and pregnancy: *Education*, **710**
Slack K *see* Wilde P *et al*
Smidts A *see* Bouma BJ *et al*
Smith GD *see* Fallon UB *et al*
Smith HL *see* King KM *et al*
Smith LN *see* Lindsay GM *et al*
Søgaard P *see* Kim WY *et al*
Solankhi N *see* Amin H *et al*
Somauroo JD *et al.* An echocardiographic assessment of cardiac morphology and common ECG findings in teenage professional soccer players: reference ranges for use in screening, **649**
Somerville J *see* Li W *et al*
Sommariva L *see* Prati F *et al*

Sondergaard L *see* Nilsson JC *et al*
Sorensen KE *see* Ravn HB *et al*
Sozzi FB *see* Elhendy A *et al*
Spencer KT *et al.* Effects of aging on left atrial reservoir, conduit, and booster pump function: a multi-institution acoustic quantification study, **272**
Spurrell P *see* Levy T *et al*
Staniforth AD *et al.* Cognitive impairment in heart failure with Cheyne-Stokes respiration, **18**
Starkey IR *see* Pell JP *et al*
Stefanadis C *see* Brili S *et al*
Stenbog EV *see* Ravn HB *et al*
Stevenson S *see* Barakat K *et al*
Stibbe J *see* Akkerhuis KM *et al*
Stock K *see* Fox KF *et al*
Strauer BE *see* Heidland UE *et al*
Struthers AD *see* MacFadyen RJ *et al*
Stubbs PJ *see* Al-Obaidi MK *et al*
Suadicani P *see* Hein HO *et al*
Suliman A *see* Barakat K *et al*
Sumiyoshi M *see* Yasuda M *et al*
Suryapranata H *see* Akkerhuis KM *et al*
Suryapranata H *et al.* Long term outcome and cost-effectiveness of stenting versus balloon angioplasty for acute myocardial infarction, **667**
Sutcliffe SJ *see* Fox KF *et al*
Swales JD *see* Khattar RS and Swales JD
Syrota A *see* Acar P *et al*
Szulc M *see* Pruszczyk P *et al*

Taguchi H *see* Fukuda D *et al*
Takano T *see* Kiuchi K *et al*
Tokano T *see* Yasuda M *et al*
Takeuchi K *see* Muro T *et al*
Tamburrano G *see* Iacobellis G *et al*
Tanaka A *see* Fukuda D *et al*
Tavella D *et al.* Cardiac arrest caused by spontaneous left coronary artery dissection in a young woman, **52**
Tavernier R *et al.* Long term results of cardioverter-defibrillator implantation in patients with right ventricular dysplasia and malignant ventricular tachyarrhythmias, **53**
Taylor GJ *see* Goodwin AT *et al*
Teo KK *see* King KM *et al*
Teragaki M *see* Muro T *et al*
Terregino CA *see* Hillis GS *et al*
Teunter LH *see* Bouma BJ *et al*
Tevaearai HT *see* Mueller XM *et al*
Thayssen P *see* Costa MA *et al*
Therrien J *see* Fredriksen PM *et al*
see Fredriksen PM *et al*
Thiele H *see* Lauer B *et al*
Thomas M *see* Byrne JA *et al*
Thomas MR *see* de Belder AJ *et al*
Thomson JDR *see* Allen J *et al*
Thorns AR *et al.* Management of severe heart failure by specialist palliative care: *letter*, **93**
Thwaites BC *see* Turner N and Thwaites BC
Tijssen JGP *see* Bouma BJ *et al*
Timmermans C *see* Nabar A *et al*
Timmis A *see* Hemingway H *et al*
Timmis AD *see* Barakat K *et al*
Timmis AD. Diabetic heart disease: clinical considerations: *Education*, **463**
Toquero J *et al.* Asymptomatic diastolic compression of a coronary artery, **336**
Torbicki A *see* Galiè N and Torbicki A
see Pruszczyk P *et al*
Touam M *see* le Feuvre C *et al*
Toutouzas P *see* Brili S *et al*
Townend J *see* Qasim A *et al*
Townend JN *see* Pagano D *et al*
Trudeau F *see* Johnson D *et al*
Turner N, Thwaites BC. Exercise induced widening of the QRS complex in a patient on flecainide, **423**
Turri M *see* Tavella D *et al*
Tzonou A *see* Brili S *et al*

Ubbink JB *see* Fallon UB *et al*
Ugarte M *see* Toquero J *et al*
Uren NG *see* McLeod AL *et al*
Uzun O *see* Amin H *et al*

Vacheron A *see* le Feuvre C *et al*
Vahanian A. Balloon valvuloplasty: *Education*, **223**
Valdés F *see* Figueroa FE *et al*
Valdés P *see* Figueroa FE *et al*
Vallance P, Chan N. Endothelial function and nitric oxide: clinical relevance: *Education*, **342**
van Boven AJ *see* van Geel PP *et al*
van den Brand MJ *see* Costa MA *et al*
van den Brand MJBM *see* Akkerhuis KM *et al*
van den Brink RBA *see* Bouma BJ *et al*
van der Giessen WJ *see* Costa MA *et al*
Vandergoten P *et al.* "Late-late" reocclusion after coronary stenting and brachytherapy, **10**
van der Meulen JHP *see* Bouma BJ *et al*
van der Wieken LR *see* Akkerhuis KM *et al*
van der Zwaan C *see* Akkerhuis KM *et al*
van Domburg RT *see* Elhendy A *et al*
van Geel PP *et al.* Increased risk for ischaemic events is related to combined RAS polymorphism, **458**
van Gelder LM *see* Bracke FA *et al*
van Langenhove G *et al.* Thrombus overlying the main stem crista: a three dimensional reconstruction, **178**
van Mechelen R *see* Nabar A *et al*
Vazquez-Jimenez JF *et al.* Isolation of the left subclavian artery in a patient with Williams-Beuren syndrome, **609**
Veldtman G *see* Fredriksen PM *et al*
Veldtman GR *et al.* Late thoracic and abdominal aortic aneurysm following discreet coarctation of the aorta repair, **43**
Vermeersch P *see* van Langenhove G *et al*
Vezzoli M *see* Mazzone A *et al*
Videcnik V *see* Žižek B *et al*
Vilacosta I, Román JAS. Acute aortic syndrome: *editorial*, **365**
Vinereanu D *et al.* Assessment of left ventricular long axis contraction can detect early myocardial dysfunction in asymptomatic patients with severe aortic regurgitation, **30**
Visentin E *see* Rigatelli G *et al*
Vlahović A *see* Otašević P *et al*
Vobecky SJ *see* Johnson D *et al*
von Segesser LK *see* Mueller XM *et al*

Wainwright RJ *see* de Belder AJ *et al*
Walker J *see* Jones AF *et al*
Walker S *see* Levy T *et al*
Wallis EJ *see* Sanmuganathan PS *et al*
Walsh D *see* Pell JP *et al*
Walsh J *see* Satchithananda DK *et al*
Walsh M *see* Mulvihill NT *et al*
Walton J *see* Ferguson JD *et al*
Warsi MA *see* Fredriksen PM *et al*
Watanabe H *see* Muro T *et al*
Watanabe N, Kubo K. Intra-left atrial invasive mass extended via the pulmonary vein, **271**
Webb G *see* Fredriksen PM *et al*
see Veldtman GR *et al*
Webb G. Do patients over 40 years of age benefit from closure of an atrial septal defect?: *editorial*, **249**
Weber T *see* Bracke FA *et al*
Weinert L *see* Spencer KT *et al*
Weissberg PL *see* Farzaneh-Far A *et al*
Wellens HJJ *see* Nabar A *et al*
West JN *see* Das R *et al*
Whatling PJ *see* Ferguson JD *et al*
Wheatley DJ *see* Lindsay GM *et al*
Wilde P *et al.* Radiation hazards for the patient in cardiological procedures: *editorial*, **127**
Wilkinson JL. Haemodynamic calculations in the catheter laboratory: *Education*, **113**
Wilkinson P *see* Barakat K *et al*
Williams W *see* Fredriksen PM *et al*
Wilson C *see* Figueroa FE *et al*
Wolf B *see* Müller I *et al*
Wong Y *et al.* Sex differences in investigation results and treatment in subjects referred for investigation of chest pain, **149**
Wood A *see* Hemingway H *et al*
Wood DA *see* Fox KF *et al*
Wray J, Sensky T. Congenital heart disease and cardiac surgery in childhood: effects on cognitive function and academic ability, **687**
Wren C, O'Sullivan JJ. Survival with congenital heart disease and need for follow up in adult life, **438**
Wright M *see* Fox KF *et al*
Wuebbolt P *see* Peuster M *et al*
Wuensch G *see* Peuster M *et al*

Xiao HB *see* Li W *et al*

Yacoub MH *see* Dubrey SW *et al*
Yamada N *see* Yamagishi M *et al*
Yamagishi M *et al.* Magnetic resonance imaging of cardiac osteosarcoma, **311**
Yamashita H *see* Yasuda M *et al*
Yamashita N *et al.* Exercise directly enhances myocardial tolerance to ischaemia–reperfusion injury in the rat through a protein kinase C mediated mechanism, **331**
Yasuda M *et al.* ST segment elevation in the right precordial leads following administration of class Ic antiarrhythmic drugs, **e3**
Yellon DM *see* Yamashita N *et al*
Yoshikawa J *see* Fukuda D *et al*
see Muro T *et al*
Young IS *see* Hanratty CG *et al*

Zaglavara T *et al.* A combination of persistent left superior vena cava and a large secundum atrial septal defect in a 34 year old woman, **406**
Zaidi AM *see* Lipscomb KJ *et al*
Zanocco A *see* Bertaglia E *et al*
Zardini P *see* Tavella D *et al*
Zerbo F *see* Bertaglia E *et al*
Žižek B *et al.* Endothelial dysfunction in hypertensive patients and in normotensive offspring of subjects with essential hypertension: *letter*, **215**
Zijlstra F *see* Suryapranata H *et al*
Zijlstra F. Acute myocardial infarction: primary angioplasty: *Education*, **705**
Zwinderman AH *see* van Geel PP *et al*

VOLUME 85 • SUBJECT INDEX

ablation, Class IC antiarrhythmic drug induced atrial flutter: electrocardiographic and electrophysiological findings and their importance for long term outcome after right atrial isthmus ablation, **424**
Importance of rate control or rate regulation for improving exercise capacity and quality of life in patients with permanent atrial fibrillation and normal left ventricular function: a randomised controlled study, **171**

acoustic properties of myocardium, Prediction of contractile reserve by cyclic variation of integrated backscatter of the myocardium in patients with chronic left ventricular dysfunction, **165**

acute aortic syndrome, Acute aortic syndrome: *editorial*, **365**

acute coronary syndromes, Altered CD18 leucocyte integrin expression and adhesive function in patients with an acute coronary syndrome: *letter*, **702**
Guideline for the management of patients with acute coronary syndromes without persistent ECG ST segment elevation, **133**
Markers of inflammation in unstable angina: *editorial*, **603**
National Institute for Clinical Excellence guidance: too NICE to glycoprotein IIb/IIIa inhibitors?: *editorial*, **481**

acute myocardial infarction, A new performance indicator for acute myocardial infarction, **395**
Acute myocardial infarction: failed thrombolysis: *Education*, **104**
Ecstasy induced acute myocardial infarction, **e10**
Lesion characteristics of acute myocardial infarction: an investigation with intravascular ultrasound, **402**
Short early filling deceleration time on day 1 after acute myocardial infarction is associated with short and long term left ventricular remodelling, **527**
Socioeconomic differentials in recurrent ischaemia and mortality after acute myocardial infarction, **390**

adhesion molecules, Markers of inflammation in unstable angina: *editorial*, **603**

adult congenital heart defect, Management of pregnancy in women with congenital heart disease: *editorial*, **493**

adult congenital heart disease, Survival with congenital heart disease and need for follow up in adult life, **438**

advanced glycation end products, Increased serum concentrations of advanced glycation end products: a marker of coronary artery disease activity in type 2 diabetic patients, **87**

aerobic capacity, Exercise capacity in adult patients with congenitally corrected transposition of the great arteries, **191**
Lung function and aerobic capacity in adult patients following modified Fontan procedure, **295**

affective disorder, How different from pacemaker patients are recipients of implantable cardioverter-defibrillators with respect to psychosocial adaptation, affective disorders, and quality of life?, **375**

age, Equity in access to exercise tolerance testing, coronary angiography, and coronary artery bypass grafting by age, sex and clinical indications, **680**

aging, Effects of aging on left atrial reservoir, conduit, and booster pump function: a multi-institution acoustic quantification study, **272**

alveolar–capillary diffusing capacity, Relative contribution of resting haemodynamic profile and lung function to exercise tolerance in male patients with chronic heart failure, **179**

ambulatory blood pressure measurement, Blood pressure measurement is changing!: *editorial*, **3**

amyloid heart disease, Long term results of heart transplantation in patients with amyloid heart disease, **202**

anatomy of the heart, Heart disease and pregnancy: *Education*, **710**

angina, Diabetic heart disease: clinical considerations: *Education*, **463**

angiogenesis, Does laser injury induce a different neovascularisation pattern from mechanical or ischaemic injuries?, **697**

angiography, Cytomegalovirus, *Chlamydia pneumoniae*, and *Helicobacter pylori* IgG antibodies and restenosis after stent implantation: an angiographic and intravascular ultrasound study, **304**
Non-invasive characterisation of coronary lesion morphology by multi-slice computed tomography: a promising new technology for risk stratification of patients with coronary artery disease: *letter*, **576**

angioplasty, Clinical outcome following coronary angioplasty in dialysis patients: a case–control study in the era of coronary stenting, **556**
Dissolution of tungsten coils leads to device failure after transcatheter embolisation of pathologic vessels: *Education*, **703**
Endovascular stents in the management of coarctation of the aorta in the adolescent and adult: one year follow up, **561**
Full recovery of contraction late after acute myocardial infarction: determinants and early predictors, **521**
Long term outcome and cost-effectiveness of stenting versus balloon angioplasty for acute myocardial infarction, **667**
Pharmacodynamics and safety of lefradafiban, an oral platelet glycoprotein IIb/IIIa receptor antagonist, in patients with stable coronary artery disease undergoing elective angioplasty, **444**

angiotensin converting enzyme inhibitors, Cost effectiveness of ramipril treatment for cardiovascular risk reduction, **539**
Intermittent non-adherence with ACE inhibitor treatment and its implications for clinical trials results, **213**

anthracyclines, Mitral regurgitation after anthracycline treatment for childhood malignancy, **430**

antiarrhythmic agents, Class IC antiarrhythmic drug induced atrial flutter: electrocardiographic and electrophysiological findings and their importance for long term outcome after right atrial isthmus ablation, **424**
Managing out-of-hospital cardiac arrest survivors: 2. Cardiological perspective: *editorial*, **123**
Treatment strategies for heart failure: β blockers and antiarrhythmics: *Education*, **97**

antibiotic prophylaxis, Should we give antibiotic prophylaxis against infective endocarditis in all cardiac patients, whatever the type of dental treatment?: *editorial*, **9**

antimicrobial treatment, Cardiovascular magnetic resonance: *Education*, **581**

aortic acceleration, Electromechanical interrelations during dobutamine stress in normal subjects and patients with coronary artery disease: comparison of changes in activation and inotropic state, **411**

aortic regurgitation, Assessment of left ventricular long axis contraction can detect early myocardial dysfunction in asymptomatic patients with severe aortic regurgitation, **30**

aortic stenosis, Variability in treatment advice for elderly patients with aortic stenosis: a nationwide survey in the Netherlands, **196**
Should patients with asymptomatic mild or moderate aortic stenosis undergoing coronary artery bypass surgery also have valve replacement for their aortic stenesis?: *Education*, **337**

aortic valve, The vitamin D receptor genotype predisposes to the development of calcific aortic valve stenosis, **635**

aortic valve replacement, Variability in treatment advice for elderly patients with aortic stenosis: a nationwide survey in the Netherlands, **196**

appropriateness of coronary revascularisation, Hypothetical ratings of coronary angiography appropriateness: are they associated with actual angiographic findings, mortality, and revascularisation rate? The ACRE study, **672**

arrhythmias, Long term results of cardioverter-defibrillator implantation in patients with right ventricular dysplasia and malignant ventricular tachyarrhythmias, **53**
Acute pressure overload cardiac arrhythmias are dependent on the presence of myocardial tissue catecholamines: *letter*, **576**
Echocardiographic and signal averaged ECG indices associated with non-sustained ventricular tachycardia after repair of tetralogy of Fallot, **57**

arrhythmogenic right ventricular dysplasia, Long term results of cardioverter-defibrillator implantation in patients with right ventricular dysplasia and malignant ventricular tachyarrhythmias, **53**

aspirin, Aspirin for primary prevention of coronary heart disease: safety and absolute benefit related to coronary risk derived from meta-analysis of randomised trials, **265**
Who should take aspirin for primary prophylaxis of coronary heart disease?: *editorial*, **245**

atherosclerosis, Correlation between high frequency intravascular ultrasound and histomorphology in human coronary arteries, **567**
Endothelial function and nitric oxide: clinical relevance: *Education*, **342**
Markers of inflammation in unstable angina: *editorial*, **603**

atrial arrhythmias, Do patients over 40 years of age benefit from closure of an atrial septal defect?: *editorial*, **249**

atrial fibrillation, Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study: *letter*, **578**
Importance of rate control or rate regulation for improving exercise capacity and quality of life in patients with permanent atrial fibrillation and normal left ventricular function: a randomised controlled study, **171**
No incremental benefit of multisite atrial pacing compared with right atrial pacing in patients with drug refractory paroxysmal atrial fibrillation, **48**

atrial flutter, Class IC antiarrhythmic drug induced atrial flutter: electrocardiographic and electrophysiological findings and their importance for long term outcome after right atrial isthmus ablation, **424**
Progressive ECG changes before the onset of atrial flutter in adult congenital heart disease patients: *letter*, **703**

atrial myoxoma, Cardiac tumours: diagnosis and management: *Education*, **218**

atrial septal defect, Do patients over 40 years of age benefit from closure of an atrial septal defect?: *editorial,* **249**
Do patients over 40 years of age benefit from surgical closure of atrial septal defects?, **300**
atrial septal occluder, Assessment of the geometric profile of the Amplatzer and Cardioseal septal occluders by three dimensional echocardiography, **451**
atrial tachycardia: atrioventricular nodal re-entrant tachycardia, Prosthetic valve endocarditis: *Education,* **590**
atrioventricular modifying drugs, Importance of rate control or rate regulation for improving exercise capacity and quality of life in patients with permanent atrial fibrillation and normal left ventricular function: a randomised controlled study, **171**
atrioventricular node re-entrant tachycardia, Slow pathway modification for atrioventricular node re-entrant tachycardia: fast junctional tachycardia predicts adverse prognosis, **44**
atrium, Effects of aging on left atrial reservoir, conduit, and booster pump function: a multi-institution acoustic quantification study, **272**
audit, A new performance indicator for acute myocardial infarction, **395**
automatic implanted cardioverter-defibrillator, A rehabilitative approach to patients with internal cardioverter-defibrillators: *editorial,* **371**
Brugada syndrome, ST segment elevation in the right precordial leads following administration of class Ic antiarrhythmic drugs, **e3**

balloon angioplasty, Three dimensional intravascular ultrasonic assessment of the local mechanism of restenosis after balloon angioplasty, **73**
balloon valvuloplasty, Balloon valvuloplasty: *Education,* **223**
Batista procedure, The Batista procedure: *editorial,* **1**
Bayesian risk, Development and validation of a Bayesian index for predicting major adverse cardiac events with percutaneous transluminal coronary angioplasty, **69**
Behçet's disease, Behçet's disease with a large intracardiac thrombus: a case report, **e7**
β blockers, Treatment strategies for heart failure: β blockers and antiarrhythmics: *Education,* **97**
blood flow, Beneficial haemodynamic effects of insulin in chronic heart failure, **508**
brain injury, Managing out-of-hospital cardiac arrest survivors: 1. Neurological perspective: *editorial,* **6**

calcific aortic stenosis, The vitamin D receptor genotype predisposes to the development of calcific aortic valve stenosis, **635**
Why is there discordance between calcific aortic stenosis and coronary artery disease?: *editorial,* **601**
calcification, Vascular and valvar calcification: recent advances: *review,* **13**
cardiac arrest, Managing out-of-hospital cardiac arrest survivors: 1. Neurological perspective: *editorial,* **6**
Managing out-of-hospital cardiac arrest survivors: 2. Cardiological perspective: *editorial,* **123**
cardiac catheterisation, Prevention of contrast nephropathy after cardiac catheterisation: *editorial,* **361**
cardiac emergency room, Safe discharge from the cardiac emergency room with a rapid rule-out myocardial infarction protocol using serial CK-MB_{mass}, **143**
cardiac failure, Glucose, insulin, and the cardiovascular system: *editorial,* **495**
cardiac marker proteins, Assessment of coronary reperfusion in patients with myocardial infarction using fatty acid binding protein concentrations in plasma, **278**
cardiac morphology, An echocardiographic assessment of cardiac morphology and common ECG findings in teenage professional soccer players: reference ranges for use in screening, **649**
cardiac rehabilitation, Psychosocial components of cardiac recovery and rehabilitation attendance, **290**
cardiac surgery, Congenital heart disease and cardiac surgery in childhood: effects on cognitive function and academic ability, **687**
Do patients over 40 years of age benefit from surgical closure of atrial septal defects?, **300**
cardiac tumours, Cardiac tumours: diagnosis and management: *Education,* **218**
cardiomyopathies, The Batista procedure: *editorial,* **1**
cardiomyopathy, Diabetic cardiomyopathy: fact or fiction?: *editorial,* **247**
Impaired cardiac adrenergic innervation assessed by MIBG imaging as a predictor of treatment response in childhood dilated cardiomyopathy, **692**
Mitral regurgitation after anthracycline treatment for childhood malignancy, **430**
cardioprotection, Exercise directly enhances myocardial tolerance to ischaemia–reperfusion injury in the rat through a protein kinase C mediated mechanism, **331**
cardiopulmonary baroreflex, Resetting of the cardiopulmonary baroreflex 10 years after surgical repair of coarctation of the aorta, **318**
cardiopulmonary resuscitation, Managing out-of-hospital cardiac arrest survivors: 1. Neurological perspective: *editorial,* **6**
cardiovascular events, Trial to show the impact of nicorandil in angina (IONA): design, methodology, and management, **e9**
cardiovascular magnetic resonance, Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study: *Education,* **578**
cardiovascular risk, Cost effectiveness of ramipril treatment for cardiovascular risk reduction, **539**
Diabetic heart disease: clinical considerations: *Education,* **463**
Predicting and reducing cardiovascular risk: *editorial,* **487**
cardiovascular risk assessment, Comparative accuracy of cardiovascular risk prediction methods in primary care patients, **37**
carditis, Prospective comparison of clinical and echocardiographic diagnosis of rheumatic carditis: long term follow up of patients with subclinical disease, **407**
case fatality, A new performance indicator for acute myocardial infarction, **395**
case–control studies, Role of nested case–control studies in the difficult quest for new coronary risk factors: *editorial,* **125**
catecholamines, Acute pressure overload cardiac arrhythmias are dependent on the presence of myocardial tissue catecholamines: *letter,* **576**
CD18 leucocyte, Altered CD18 leucocyte integrin expression and adhesive function in patients with an acute coronary syndrome: *letter,* **702**
cell adhesion molecules, Risk stratification in unstable angina and non-Q wave myocardial infarction using soluble cell adhesion molecules, **623**
chest pain, Sex differences in investigation results and treatment in subjects referred for investigation of chest pain, **149**
Cheyne-Stokes respiration, Cognitive impairment in heart failure with Cheyne-Stokes respiration, **18**
children, Impaired cardiac adrenergic innervation assessed by MIBG imaging as a predictor of treatment response in childhood dilated cardiomyopathy, **692**
cholesterol, The statin era: in search of the ideal lipid regulating agent: *commentary,* **259**
circulating catecholamines, Resetting of the cardiopulmonary baroreflex 10 years after surgical repair of coarctation of the aorta, **318**
class Ic antiarrhythmic drugs, ST segment elevation in the right precordial leads following administration of class Ic antiarrhythmic drugs, **e3**
clinical decision making, Variability in treatment advice for elderly patients with aortic stenosis: a nationwide survey in the Netherlands, **196**
clinical trials, Intermittent non-adherence with ACE inhibitor treatment and its implications for clinical trials results, **213**
clopidogrel, Effect of a high loading dose of clopidogrel on platelet function in patients undergoing coronary stent placement: *letter,* **92**
coagulase negative staphylococci, Cardiovascular magnetic resonance: *Education,* **581**
coagulation, Increased platelet reactivity and significant changes in coagulation markers after cavopulmonary connection, **61**
coarctation of aorta, Resetting of the cardiopulmonary baroreflex 10 years after surgical repair of coarctation of the aorta, **318**
Endovascular stents in the management of coarctation of the aorta in the adolescent and adult: one year follow up, **561**
cognitive ability, Congenital heart disease and cardiac surgery in childhood: effects on cognitive function and academic ability, **687**
cognitive function, Cognitive impairment in heart failure with Cheyne-Stokes respiration, **18**
cohort, Homocysteine and coronary heart disease in the Caerphilly cohort: a 10 year follow up, **153**
cohort study, Psychological characteristics and fatal ischaemic heart disease, **385**
colour Doppler, Detection and significance of subclinical mitral regurgitation by colour Doppler techniques: *editorial,* **369**
computed tomography, Emergency diagnosis of pulmonary embolism: *editorial,* **607**
congenital heart defects, Endovascular stents in the management of coarctation of the aorta in the adolescent and adult: one year follow up, **561**
congenital heart disease, Acute myocardial infarction: primary angioplasty: *Education,* **705**
Congenital heart disease and cardiac surgery in childhood: effects on cognitive function and academic ability, **687**
Dental procedures in children with severe congenital heart disease: a theoretical analysis of prophylaxis and non-prophylaxis procedures, **66**
Lung function and aerobic capacity in adult patients following modified Fontan procedure, **295**
Progressive ECG changes before the onset of atrial flutter in adult congenital heart disease patients: *letter,* **703**
Spontaneous closure of congenital coronary artery fistulas, **e6**
The echocardiographic diagnosis of totally anomalous pulmonary venous connection in the fetus, **433**
congenitally corrected transposition of the great arteries, Exercise capacity in adult patients with congenitally corrected transposition of the great arteries, **191**

continuous positive airways pressure, Short term effect of continuous positive airway pressure on muscle sympathetic nerve activity in patients with chronic heart failure, **185**
contractile reserve, Prediction of contractile reserve by cyclic variation of integrated backscatter of the myocardium in patients with chronic left ventricular dysfunction, **165**
contractility, Operator independent left ventricular function monitoring during pharmacological stress echo with the new peak transcutaneous acceleration signal, **286**
coronary aneurysm, Left main coronary artery aneurysm with chronic total occlusion of both left coronary arteries in a young athlete, **e1**
coronary angiography, Hypothetical ratings of coronary angiography appropriateness: are they associated with actual angiographic findings, mortality, and revascularisation rate? The ACRE study, **672**
coronary angioplasty, National Institute for Clinical Excellence guidance: too NICE to glycoprotein IIb/IIIa inhibitors?: *editorial*, **481**
coronary artery bypass graft, The influence of general health status and social support on symptomatic outcome following coronary artery bypass grafting, **80**
Hypothetical ratings of coronary angiography appropriateness: are they associated with actual angiographic findings, mortality, and revascularisation rate? The ACRE study, **672**
Risk factors for the development of restenosis following stent implantation of venous bypass grafts, **312**
Outcomes following coronary artery bypass grafting and percutaneous transluminal coronary angioplasty in the stent era: a prospective study of all 9890 consecutive patients operated on in Scotland over a two year period, **662**
Effect of surgical training on outcome and hospital costs in coronary surgery, **454**
Should patients with asymptomatic mild or moderate aortic stenosis undergoing coronary artery bypass surgery also have valve replacement for their aortic stenosis?: *Education*, **337**
coronary artery disease, A cardiac prevention and rehabilitation programme for all patients at first presentation with coronary artery disease, **533**
Effect of power Doppler and digital subtraction techniques on the comparison of myocardial contrast echocardiography with SPECT, **549**
Hypothetical ratings of coronary angiography appropriateness: are they associated with actual angiographic findings, mortality, and revascularisation rate? The ACRE study, **672**
Impact of hypertension on the accuracy of exercise stress myocardial perfusion imaging for the diagnosis of coronary artery disease, **655**
Increased serum concentrations of advanced glycation end products: a marker of coronary artery disease activity in type 2 diabetic patients, **87**
Non-invasive characterisation of coronary lesion morphology by multi-slice computed tomography: a promising new technology for risk stratification of patients with coronary artery disease: *letter*, **576**
Spontaneous closure of congenital coronary artery fistulas, **e6**
Why is there discordance between calcific aortic stenosis and coronary artery disease?: *editorial*, **601**
coronary artery fistula, Spontaneous closure of congenital coronary artery fistulas, **e6**
coronary atherosclerosis, Increased risk for ischaemic events is related to combined RAS polymorphism, **458**
coronary heart disease, An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia, **544**
Aspirin for primary prevention of coronary heart disease: safety and absolute benefit related to coronary risk derived from meta-analysis of randomised trials, **265**
Homocysteine and coronary heart disease in the Caerphilly cohort: a 10 year follow up, **153**
Methods for the prediction of coronary heart disease risk: *editorial*, **489**
The statin era: in search of the ideal lipid regulating agent: *commentary*, **259**
Who should take aspirin for primary prophylaxis of coronary heart disease?: *editorial*, **245**
cost effectiveness, Cost effectiveness of ramipril treatment for cardiovascular risk reduction, **539**
cost-benefit analysis, Long term outcome and cost-effectiveness of stenting versus balloon angioplasty for acute myocardial infarction, **667**
costs, Effect of surgical training on outcome and hospital costs in coronary surgery, **454**
creatine kinase-MB, Safe discharge from the cardiac emergency room with a rapid rule-out myocardial infarction protocol using serial CK-MB_{mass}, **143**
cross-sectional echocardiography, Heart disease and pregnancy: *Education*, **710**
cumulative risk, Dental procedures in children with severe congenital heart disease: a theoretical analysis of prophylaxis and non-prophylaxis procedures, **66**
cyclic variation of integrated backscatter, Prediction of contractile reserve by cyclic variation of integrated backscatter of the myocardium in patients with chronic left ventricular dysfunction, **165**
cytokines, Interfering with healing: the benefits of intervention during acute myocardial infarction, **620**

deceleration time, Short early filling deceleration time on day 1 after acute myocardial infarction is associated with short and long term left ventricular remodelling, **527**
deep vein thrombosis, Acute pulmonary embolism 1: pathophysiology, clinical presentation, and diagnosis: *Education*, **229**
Acute pulmonary embolism 2: treatment: *Education*, **351**
dental treatment, Dental procedures in children with severe congenital heart disease: a theoretical analysis of prophylaxis and non-prophylaxis procedures, **66**
Should we give antibiotic prophylaxis against infective endocarditis in all cardiac patients, whatever the type of dental treatment?: *editorial*, **9**
diabetes, Diabetic cardiomyopathy: fact or fiction?: *editorial*, **247**
Diabetic heart disease: clinical considerations: *Education*, **463**
diabetic cardiomyopathy, Diabetic cardiomyopathy: fact or fiction?: *editorial*, **247**
diastolic blood pressure, Pulse pressure and prognosis: *editorial*, **484**
diastolic function, Echocardiographic differentiation of pathological and physiological left ventricular hypertrophy: *review*, **615**
dilated cardiomyopathy, The fate of acute myocarditis between spontaneous improvement and evolution to dilated cardiomyopathy: a review: *review*, **499**
dipyridamole stress, Effect of power Doppler and digital subtraction techniques on the comparison of myocardial contrast echocardiography with SPECT, **549**
Doppler echocardiography, Pulmonary venous flow velocity patterns in 404 individuals without cardiovascular disease, **23**
dosimetry, Radiation hazards for the patient in cardiological procedures: *editorial*, **127**
driving, Cognitive impairment in heart failure with Cheyne-Stokes respiration, **18**

ECG findings, An echocardiographic assessment of cardiac morphology and common ECG findings in teenage professional soccer players: reference ranges for use in screening, **649**
echocardiography, A comparison of left ventricular abnormalities associated with glucose intolerance in African Caribbeans and Europeans in the UK, **643**
An echocardiographic assessment of cardiac morphology and common ECG findings in teenage professional soccer players: reference ranges for use in screening, **649**
Echocardiographic and signal averaged ECG indices associated with non-sustained ventricular tachycardia after repair of tetralogy of Fallot, **57**
Echocardiographic differentiation of pathological and physiological left ventricular hypertrophy: *review*, **615**
Effects of aging on left atrial reservoir, conduit, and booster pump function: a multi-institution acoustic quantification study, **272**
Full recovery of contraction late after acute myocardial infarction: determinants and early predictors, **521**
Prospective comparison of clinical and echocardiographic diagnosis of rheumatic carditis: long term follow up of patients with subclinical disease, **407**
The echocardiographic diagnosis of totally anomalous pulmonary venous connection in the fetus, **433**
ecstasy, Ecstasy induced acute myocardial infarction, **e10**
education, QED: Quality, Education, and Dialogue: *editorial*, **241**
elderly patients, Variability in treatment advice for elderly patients with aortic stenosis: a nationwide survey in the Netherlands, **196**
electrical cardioversion, Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study: *letter*, **578**
electrocardiographic monitoring, Implantable loop recorder: towards a gold standard for the diagnosis of syncope?: *editorial*, **610**
electron beam computed tomography, Left main coronary artery aneurysm with chronic total occlusion of both left coronary arteries in a young athlete, **e1**
emergency diagnosis, Emergency diagnosis of pulmonary embolism: *editorial*, **607**
endocarditis, Bacterial endocarditis following repeated tattooing, **11**
Dental procedures in children with severe congenital heart disease: a theoretical analysis of prophylaxis and non-prophylaxis procedures, **66**
Endocarditis: problems—patients being treated for endocarditis and: *Education*, **470**
endomyocardial biopsy, Varicella myocarditis in an adult, **e2**
endothelial derived mediators, A new era in the treatment of primary pulmonary hypertension: *editorial*, **251**
endothelial dysfunction, Does an impaired flow mediated vasodilatation predict hypertension in offspring hypertensive parents?: *editorial*, **131**
Endothelial dysfunction in hypertensive patients and in normotensive offspring of subjects with essential hypertension: *letter*, **215**

endothelial function, The effects of oral methionine and homocysteine on endothelial function, **326**
Endothelial function and nitric oxide: clinical relevance: *Education,* **342**
epidemiologic measurements, Absolute, attributable, and relative risk in the management of coronary heart disease: *editorial,* **491**
equity, Equity in access to exercise tolerance testing, coronary angiography, and coronary artery bypass grafting by age, sex and clinical indications, **680**
essential hypertension, Does an impaired flow mediated vasodilatation predict hypertension in offspring hypertensive parents?: *editorial,* **131**
Endothelial dysfunction in hypertensive patients and in normotensive offspring of subjects with essential hypertension: *letter,* **215**
ethnic differences, A comparison of left ventricular abnormalities associated with glucose intolerance in African Caribbeans and Europeans in the UK, **643**
exercise, Exercise directly enhances myocardial tolerance to ischaemia–reperfusion injury in the rat through a protein kinase C mediated mechanism, **331**
Relative contribution of resting haemodynamic profile and lung function to exercise tolerance in male patients with chronic heart failure, **179**
exercise echocardiography, Assessment of left ventricular long axis contraction can detect early myocardial dysfunction in asymptomatic patients with severe aortic regurgitation, **30**
exercise stress test, Impact of hypertension on the accuracy of exercise stress myocardial perfusion imaging for the diagnosis of coronary artery disease, **655**
Incremental prognostic value of stress echocardiography as an adjunct to exercise electrocardiography after uncomplicated myocardial infarction, **417**
exercise test, Lung function and aerobic capacity in adult patients following modified Fontan procedure, **295**
Sex differences in investigation results and treatment in subjects referred for investigation of chest pain, **149**

failed thrombolysis, Acute myocardial infarction: failed thrombolysis: *Education,* **104**
fat infiltration, Fat infiltration in the heart, **253**
fetus, The echocardiographic diagnosis of totally anomalous pulmonary venous connection in the fetus, **433**
fibrillation, Class IC antiarrhythmic drug induced atrial flutter: electrocardiographic and electrophysiological findings and their importance for long term outcome after right atrial isthmus ablation, **424**
Fontan procedure, Increased platelet reactivity and significant changes in coagulation markers after cavopulmonary connection, **61**
forearm vascular resistance, Resetting of the cardiopulmonary baroreflex 10 years after surgical repair of coarctation of the aorta, **318**
Framingham study, Comparative accuracy of cardiovascular risk prediction methods in primary care patients, **37**

genetic polymorphism, The vitamin D receptor genotype predisposes to the development of calcific aortic valve stenosis, **635**
genetics, Lewis phenotypes, leisure time physical activity, and risk of ischaemic heart disease: an 11 year follow up in the Copenhagen male study, **159**
glucose tolerance, A comparison of left ventricular abnormalities associated with glucose intolerance in African Caribbeans and Europeans in the UK, **643**
glycoprotein IIb/IIIa inhibitors, Pharmacodynamics and safety of lefradafiban, an oral platelet glycoprotein IIb/IIIa receptor antagonist, in patients with stable coronary artery disease undergoing elective angioplasty, **444**
National Institute for Clinical Excellence guidance: too NICE to glycoprotein IIb/IIIa inhibitors?: *editorial,* **481**
guidelines, Guideline for the management of patients with acute coronary syndromes without persistent ECG ST segment elevation, **133**

haemodynamic calculations, Haemodynamic calculations in the catheter laboratory: *Education,* **113**
health service priorities, Equity in access to exercise tolerance testing, coronary angiography, and coronary artery bypass grafting by age, sex and clinical indications, **680**
health status indicator, The influence of general health status and social support on symptomatic outcome following coronary artery bypass grafting, **80**
heart failure, Beneficial haemodynamic effects of insulin in chronic heart failure, **508**
Cognitive impairment in heart failure with Cheyne-Stokes respiration, **18**
Diabetic cardiomyopathy: fact or fiction?: *editorial,* **247**
Diabetic heart disease: clincial considerations: *Education,* **463**
Effects of coronary revascularisation on myocardial blood flow and coronary vasodilator reserve in hibernating myocardium, **208**
Intermittent non-adherence with ACE inhibitor treatment and its implications for clinical trials results, **213**
Long term results of heart transplantation in patients with amyloid heart disease, **202**
Management of severe heart failure by specialist palliative care: *letter,* **93**
Non-cardiac surgery in the heart failure patient, **505**
Relative contribution of resting haemodynamic profile and lung function to exercise tolerance in male patients with chronic heart failure, **179**
Serious adverse events experienced by patients with chronic heart failure taking spironolactone, **e8**
Short term effect of continuous positive airway pressure on muscle sympathetic nerve activity in patients with chronic heart failure, **185**
The fate of acute myocarditis between spontaneous improvement and evolution to dilated cardiomyopathy: a review: *review,* **499**
Three dimensional echocardiography documents haemodynamic improvement by biventricular pacing in patients with severe heart failure, **514**
Treatment strategies for heart failure: β blockers and antiarrhythmics: *Education,* **97**
heart transplantation, Long term results of heart transplantation in patients with amyloid heart disease, **202**
The Batista procedure: *editorial,* **1**
hibernating myocardium, Effects of coronary revascularisation on myocardial blood flow and coronary vasodilator reserve in hibernating myocardium, **208**
high density lipoprotein, The statin era: in search of the ideal lipid regulating agent: *commentary,* **259**
homocysteine, Acute and convalescent changes in plasma homocysteine concentrations in acute coronary syndromes, **380**
Homocysteine and coronary heart disease in the Caerphilly cohort: a 10 year follow up, **153**
The effects of oral methionine and homocysteine on endothelial function, **326**
hospice, Management of severe heart failure by specialist palliative care: *letter,* **93**
hyperkalaemia, Serious adverse events experienced by patients with chronic heart failure taking spironolactone, **e8**
hypertension, Impact of hypertension on the accuracy of exercise stress myocardial perfusion imaging for the diagnosis of coronary artery disease, **655**
Methods for the prediction of coronary heart disease risk: *editorial,* **489**
Pulse pressure and prognosis: *editorial,* **484**
hypertriglyceridaemia, An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia, **544**

iatrogenic femoral artery pseudoaneurysm, Ultrasound guided percutaneous thrombin injection of iatrogenic femoral artery pseudoaneurysms after coronary angiography and intervention, **e5**
Images in cardiology, A combination of persistent left superior vena cava and a large secundum atrial septal defect in a 34 year old woman, **406**
A "new" coronary anomaly: origin of the right coronary artery below the aortic valve, **486**
A subtle sign of aortic outflow obstruction in an infected 29 year old Starr-Edward's valve, **384**
Acute mitral valve dysfunction: a new case of leaflet escape, **513**
Acute thrombotic occlusion of the right coronary artery treated successfully with a helical thrombectomy device, **520**
An unusual (subcarinal) case of pulmonary artery sling, **457**
Aneurysm of the mid-trabecular ventricular septal defect: a morphological novelty, **619**
Angiographic features of endomyocardial fibrosis, **12**
Aortic valve sparing operations, **5**
Asymptomatic diastolic compression of a coronary artery, **336**
Asymptomatic right atrial myxoma in acromegalic man: a case of Carney complex, **86**
Bilateral ostial coronary artery stenoses: an important presentation of Takayasu's arteritis, **555**
Bilateral Winslow's pathways, **401**
Cardiac arrest caused by spontaneous left coronary artery dissection in a young woman, **52**
Complete angiographic view of the coronary–subclavian steal syndrome, **22**
Coronary arterial-left ventricular fistulae, **648**
Coronary milking-like effect caused by systolic expansion of a traumatic focal left ventricular aneurysm, **622**
Double orifice mitral valve associated with non-compaction of left ventricle, **504**
ECG abnormalities of endocrine origin, **679**
Echocardiographic diagnosis of Bland-White-Garland syndrome, **152**
Exercise induced widening of the QRS complex in a patient on flecainide, **423**

Giant aneurysm of the right coronary artery presenting with a systolic murmur, **498**
Improvement in the pulmonary circulation following pulmonary thromboendarterectomy, **612**
Initiation of pacemaker endless loop tachycardia by triboelectricity, **248**
Intra-left atrial invasive mass extended via the pulmonary vein, **271**
Isolation of the left subclavian artery in a patient with Williams-Beuren syndrome, **609**
Kawasaki's disease, **258**
Late thoracic and abdominal aortic aneurysm following discreet coarctation of the aorta repair, **43**
Left ventricular pacing via the great cardiac vein in a patient with tricuspid and pulmonary valve replacement, **91**
Magnetic resonance image of a large, fatal angiosarcoma of the heart, **325**
Magnetic resonance imaging of cardiac osteosarcoma, **311**
Magnetic resonance of vertebral steal syndrome, **638**
Metastatic cardiac squamous cell carcinoma arising in the left ventricle, **507**
Multiple cerebral haemorrhage following thrombolysis for acute anterior myocardial infarction, **294**
Multiple penetrating atherosclerotic ulcers of the abdominal aorta: treatment by endovascular stent graft placement, **526**
Ostial left anterior descending artery stenosis undetected on angiography: role of intravascular ultrasound, **264**
"Late-late" reocclusion after coronary stenting and brachytherapy, **10**
Pneumopyopericardium, complicating penetrating gastric ulcer, **285**
Psychological characteristics and fatal ischaemic heart disease, **385**
Right aortic arch and coarctation: delineation by three dimensional magnetic resonance angiogram, **492**
Serial follow up of intramural haematoma associated with lumen compromise after intracoronary intervention, **79**
Sinus of Valsalva aneurysm rupture into the left atrium, **483**
Sudden death following occlusion of the left coronary artery by a large stalky excrescense, **701**
Thrombus overlying the main stem crista: a three dimensional reconstruction, **178**
Unicuspid aortic valve, **217**

implantable cardioverter-defibrillator, Long term results of cardioverter-defibrillator implantation in patients with right ventricular dysplasia and malignant ventricular tachyarrhythmias, **53**
Managing out-of-hospital cardiac arrest survivors: 2. Cardiological perspective: *editorial*, **123**
How different from pacemaker patients are recipients of implantable cardioverter-defibrillators with respect to psychosocial adaptation, affective disorders, and quality of life?, **375**

implantable loop recorder, Implantable loop recorder: towards a gold standard for the diagnosis of syncope?: *editorial*, **610**

infection, Cytomegalovirus, *Chlamydia pneumoniae*, and *Helicobacter pylori* IgG antibodies and restenosis after stent implantation: an angiographic and intravascular ultrasound study, **304**

infective endocarditis, Should we give antibiotic prophylaxis against infective endocarditis in all cardiac patients, whatever the type of dental treatment?: *editorial*, **9**

inflammation, Interfering with healing: the benefits of intervention during acute myocardial infarction, **620**
Markers of inflammation in unstable angina: *editorial*, **603**

inflammatory cytokines, Increased concentrations of inflammatory mediators in unstable angina: correlation with serum troponin T, **571**

in-stent restenosis, The "angioplastically correct" follow up strategy after stent implantation: *editorial*, **363**

insulin, Beneficial haemodynamic effects of insulin in chronic heart failure, **508**
Glucose, insulin, and the cardiovascular system: *editorial*, **495**

insulin resistance, Does an impaired flow mediated vasodilatation predict hypertension in offspring hypertensive parents?: *editorial*, **131**

interventional cardiology, Radiation hazards for the patient in cardiological procedures: *editorial*, **127**

intracardiac thrombus, Behçet's disease with a large intracardiac thrombus: a case report, **e7**

intracoronary ultrasound, Correlation between high frequency intravascular ultrasound and histomorphology in human coronary arteries, **567**
Non-invasive characterisation of coronary lesion morphology by multi-slice computed tomography: a promising new technology for risk stratification of patients with coronary artery disease: *letter*, **576**

intravascular ultrasound, Lesion characteristics of acute myocardial infarction: an investigation with intravascular ultrasound, **402**
Three dimensional intravascular ultrasonic assessment of the local mechanism of restenosis after balloon angioplasty, **73**
Ultrasound guided stenting: *editorial*, **605**

intravascular ultrasonography, Left main coronary artery aneurysm with chronic total occlusion of both left coronary arteries in a young athlete, **e1**

ionising radiation, Radiation hazards for the patient in cardiological procedures: *editorial*, **127**

ischaemia, Glucose, insulin, and the cardiovascular system: *editorial*, **495**

ischaemic events, Increased risk for ischaemic events is related to combined RAS polymorphism, **458**

ischaemic heart disease, Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study: *letter*, **578**
Lewis phenotypes, leisure time physical activity, and risk of ischaemic heart disease: an 11 year follow up in the Copenhagen male study, **159**
Psychological characteristics and fatal ischaemic heart disease, **385**
Role of nested case–control studies in the difficult quest for new coronary risk factors: *editorial*, **125**
Vascular and valvar calcification: recent advances: *review*, **13**

junctional tachycardia, Slow pathway modification for atrioventricular node re-entrant tachycardia: fast junctional tachycardia predicts adverse prognosis, **44**

laser revascularisation, Does laser injury induce a different neovascularisation pattern from mechanical or ischaemic injuries?, **697**

lead extraction, Pacemaker lead complications: when is extraction appropriate and what can we learn from published data?: *review*, **254**

lefradafiban, Pharmacodynamics and safety of lefradafiban, an oral platelet glycoprotein IIb/IIIa receptor antagonist, in patients with stable coronary artery disease undergoing elective angioplasty, **444**

left main coronary disease, Left main coronary artery aneurysm with chronic total occlusion of both left coronary arteries in a young athlete, **e1**

left ventricular dysfunction, Prediction of contractile reserve by cyclic variation of integrated backscatter of the myocardium in patients with chronic left ventricular dysfunction, **165**

left ventricular hypertrophy, Echocardiographic differentiation of pathological and physiological left ventricular hypertrophy: *review*, **615**

left ventricular mass, Echocardiographic differentiation of pathological and physiological left ventricular hypertrophy: *review*, **615**

left ventricular mass index, A comparison of left ventricular abnormalities associated with glucose intolerance in African Caribbeans and Europeans in the UK, **643**

left ventricular remodelling, Short early filling deceleration time on day 1 after acute myocardial infarction is associated with short and long term left ventricular remodelling, **527**

left ventricular volume, Three dimensional echocardiography documents haemodynamic improvement by biventricular pacing in patients with severe heart failure, **514**

left ventricular wall thickness, Echocardiographic differentiation of pathological and physiological left ventricular hypertrophy: *review*, **615**

length of stay, Safe discharge from the cardiac emergency room with a rapid rule-out myocardial infarction protocol using serial CK-MB_{mass}, **143**

lipid regulating agents, The statin era: in search of the ideal lipid regulating agent: *commentary*, **259**

long axis function, Assessment of left ventricular long axis contraction can detect early myocardial dysfunction in asymptomatic patients with severe aortic regurgitation, **30**

low density lipoprotein, The statin era: in search of the ideal lipid regulating agent: *commentary*, **259**

lung function, Exercise capacity in adult patients with congenitally corrected transposition of the great arteries, **191**
Lung function and aerobic capacity in adult patients following modified Fontan procedure, **295**

magnetic resonance imaging, Sustained postinfarction myocardial oedema in humans visualised by magnetic resonance imaging, **639**

maternal death, Management of pregnancy in women with congenital heart disease: *editorial*, **493**

mercury sphygmomanometer, Blood pressure measurement is changing!: *editorial*, **3**

meta-analysis, Aspirin for primary prevention of coronary heart disease: safety and absolute benefit related to coronary risk derived from meta-analysis of randomised trials, **265**

methionine, The effects of oral methionine and homocysteine on endothelial function, **326**

3,4-methylenedioxymetamphetamine, Ecstasy induced acute myocardial infarction, **e10**

MIBG, Impaired cardiac adrenergic innervation assessed by MIBG imaging as a predictor of treatment response in childhood dilated cardiomyopathy, **692**

mitral regurgitation, Detection and significance of subclinical mitral regurgitation by colour Doppler techniques: *editorial*, **369**
Mitral regurgitation after anthracycline treatment for childhood malignancy, **430**
Pulmonary venous flow velocity patterns in 404 individuals without cardiovascular disease, **23**

mortality, Do patients over 40 years of age benefit from closure of an atrial septal defect?: *editorial,* **249**

motivation, Psychosocial components of cardiac recovery and rehabilitation attendance, **290**

multisite atrial pacing, No incremental benefit of multisite atrial pacing compared with right atrial pacing in patients with drug refractory paroxysmal atrial fibrillation, **48**

multi-slice computed tomography, Non-invasive characterisation of coronary lesion morphology by multi-slice computed tomography: a promising new technology for risk stratification of patients with coronary artery disease: *letter,* **576**

muscle, Beneficial haemodynamic effects of insulin in chronic heart failure, **508**

myocardial blood flow, Effects of coronary revascularisation on myocardial blood flow and coronary vasodilator reserve in hibernating myocardium, **208**

myocardial contrast echo, Effect of power Doppler and digital subtraction techniques on the comparison of myocardial contrast echocardiography with SPECT, **549**

myocardial infarction, Acute and convalescent changes in plasma homocysteine concentrations in acute coronary syndromes, **380**

Diabetic heart disease: clinical considerations: *Education,* **463**

Dissolution of tungsten coils leads to device failure after transcatheter embolisation of pathologic vessels: *letter,* **703**

Exercise directly enhances myocardial tolerance to ischaemia–reperfusion injury in the rat through a protein kinase C mediated mechanism, **331**

Full recovery of contraction late after acute myocardial infarction: determinants and early predictors, **521**

Incremental prognostic value of stress echocardiography as an adjunct to exercise electrocardiography after uncomplicated myocardial infarction, **417**

Interfering with healing: the benefits of intervention during acute myocardial infarction, **620**

Long term outcome and cost-effectiveness of stenting versus balloon angioplasty for acute myocardial infarction, **667**

Patient delay in calling for help: the weakest link in the chain of survival?: *editorial,* **121**

Safe discharge from the cardiac emergency room with a rapid rule-out myocardial infarction protocol using serial CK-MB_{mass}, **143**

Sustained postinfarction myocardial oedema in humans visualised by magnetic resonance imaging, **639**

myocardial oedema, Sustained postinfarction myocardial oedema in humans visualised by magnetic resonance imaging, **639**

myocardial perfusion, Impact of hypertension on the accuracy of exercise stress myocardial perfusion imaging for the diagnosis of coronary artery disease, **655**

myocardial reperfusion, Assessment of coronary reperfusion in patients with myocardial infarction using fatty acid binding protein concentrations in plasma, **278**

myocarditis, The fate of acute myocarditis between spontaneous improvement and evolution to dilated cardiomyopathy: a review: *review,* **499**

Varicella myocarditis in an adult, **e2**

myocardium, Fat infiltration in the heart, **253**

nicorandil, Trial to show the impact of nicorandil in angina (IONA): design, methodology, and management, **e9**

nitric oxide, Endothelial function and nitric oxide: clinical relevance: *Education,* **342**

non-adherence, Intermittent non-adherence with ACE inhibitor treatment and its implications for clinical trials results, **213**

non-cardiac surgery, Non-cardiac surgery in the heart failure patient, **505**

non-insulin dependent diabetes, Increased serum concentrations of advanced glycation end products: a marker of coronary artery disease activity in type 2 diabetic patients, **87**

noradrenaline, Impaired cardiac adrenergic innervation assessed by MIBG imaging as a predictor of treatment response in childhood dilated cardiomyopathy, **692**

offspring, Does an impaired flow mediated vasodilatation predict hypertension in offspring hypertensive parents?: *editorial,* **131**

outcome, Outcomes following coronary artery bypass grafting and percutaneous transluminal coronary angioplasty in the stent era: a prospective study of all 9890 consecutive patients operated on in Scotland over a two year period, **662**

outcome indicators, A new performance indicator for acute myocardial infarction, **395**

outcome prediction, Development and validation of a Bayesian index for predicting major adverse cardiac events with percutaneous transluminal coronary angioplasty, **69**

out-of-hospital, Managing out-of-hospital cardiac arrest survivors: 1. Neurological perspective: *editorial,* **6**

Managing out-of-hospital cardiac arrest survivors: 2. Cardiological perspective: *editorial,* **123**

pacemakers, How different from pacemaker patients are recipients of implantable cardioverter-defibrillators with respect to psychosocial adaptation, affective disorders, and quality of life?, **375**

Importance of rate control or rate regulation for improving exercise capacity and quality of life in patients with permanent atrial fibrillation and normal left ventricular function: a randomised controlled study, **171**

Pacemaker lead complications: when is extraction appropriate and what can we learn from published data?: *review,* **254**

pacing, No incremental benefit of multisite atrial pacing compared with right atrial pacing in patients with drug refractory paroxysmal atrial fibrillation, **48**

Three dimensional echocardiography documents haemodynamic improvement by biventricular pacing in patients with severe heart failure, **514**

paravalvar abscess, Endocarditis: problems—patients being treated for endocarditis and not doing well: *Education,* **470**

patent foramen ovale, How should patients with patent foramen ovale be managed?: *editorial,* **242**

patient delay, Patient delay in calling for help: the weakest link in the chain of survival?: *editorial,* **121**

patient survival, Survival with congenital heart disease and need for follow up in adult life, **438**

peak endocardial acceleration, Operator independent left ventricular function monitoring during pharmacological stress echo with the new peak transcutaneous acceleration signal, **286**

peer review process, QED: Quality, Education, and Dialogue: *editorial,* **241**

percutaneous aortic valvuloplasty, Balloon valvuloplasty: *Education,* **223**

percutaneous mitral commissurotomy, Balloon valvuloplasty: *Education,* **223**

percutaneous transluminal coronary angioplasty, Development and validation of a Bayesian index for predicting major adverse cardiac events with percutaneous transluminal coronary angioplasty, **69**

Outcomes following coronary artery bypass grafting and percutaneous transluminal coronary angioplasty in the stent era: a prospective study of all 9890 consecutive patients operated on in Scotland over a two year period, **662**

The "angioplastically correct" follow up strategy after stent implantation: *editorial,* **363**

persistent ST segment elevation, Guideline for the management of patients with acute coronary syndromes without persistent ECG ST segment elevation, **133**

plaque morphology, Correlation between high frequency intravascular ultrasound and histomorphology in human coronary arteries, **567**

Lesion characteristics of acute myocardial infarction: an investigation with intravascular ultrasound, **402**

platelet aggregation inhibitors, Pharmacodynamics and safety of lefradafiban, an oral platelet glycoprotein IIb/IIIa receptor antagonist, in patients with stable coronary artery disease undergoing elective angioplasty, **444**

platelet function, Effect of a high loading dose of clopidogrel on platelet function in patients undergoing coronary stent placement: *letter,* **92**

platelets, Increased platelet reactivity and significant changes in coagulation markers after cavopulmonary connection, **61**

plethysmography, The effects of oral methionine and homocysteine on endothelial function, **326**

polymorphism, Increased risk for ischaemic events is related to combined RAS polymorphism, **458**

polyunsaturated fat, An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia, **544**

positron emission tomography, Effects of coronary revascularisation on myocardial blood flow and coronary vasodilator reserve in hibernating myocardium, **208**

pregnancy, Management of pregnancy in women with congenital heart disease: *editorial,* **493**

Pregnancy and heart disease: *Education,* **705**

preoperative evaluation, Non-cardiac surgery in the heart failure patient, **505**

preventive policy, A cardiac prevention and rehabilitation programme for all patients at first presentation with coronary artery disease, **533**

primary prevention, Aspirin for primary prevention of coronary heart disease: safety and absolute benefit related to coronary risk derived from meta-analysis of randomised trials, **265**

primary pulmonary hypertension, A new era in the treatment of primary pulmonary hypertension: *editorial,* **251**

Pulmonary arterial hypertension:: *Education,* **475**

professional soccer players, An echocardiographic assessment of cardiac morphology and common ECG findings in teenage professional soccer players: reference ranges for use in screening, **649**

prognosis, Full recovery of contraction late after acute myocardial infarction: determinants and early predictors, **521**

prosthetic valve endocarditis, Cardiovascular magnetic resonance: *Education,* **581**
protein kinase C, Exercise directly enhances myocardial tolerance to ischaemia–reperfusion injury in the rat through a protein kinase C mediated mechanism, **331**
pseudoaneurysm, Cardiac rupture caused by *Staphylococcus aureus* septicaemia and pericarditis: an incidental finding, **1**
psychological factors, Psychological characteristics and fatal ischaemic heart disease, **385**
pulmonary arterial hypertension, Pulmonary arterial hypertension: new ideas and perspectives: *Education,* **475**
pulmonary blood flow, Haemodynamic calculations in the catheter laboratory: *Education,* **113**
pulmonary embolism, Acute pulmonary embolism 1: pathophysiology, clinical presentation, and diagnosis: *Education,* **229**
Acute pulmonary embolism 2: treatment: *Education,* **351**
Diagnostic value of transoesophageal echocardiography in suspected haemodynamically significant pulmonary embolism, **628**
Emergency diagnosis of pulmonary embolism: *editorial,* **607**
pulmonary function, Relative contribution of resting haemodynamic profile and lung function to exercise tolerance in male patients with chronic heart failure, **179**
pulmonary vascular resistance, Haemodynamic calculations in the catheter laboratory: *Education,* **113**
pulmonary venous flow velocity, Pulmonary venous flow velocity patterns in 404 individuals without cardiovascular disease, **23**
pulse pressure, Pulse pressure and prognosis: *editorial,* **484**

quality of life, A rehabilitative approach to patients with internal cardioverter-defibrillators: *editorial,* **371**
How different from pacemaker patients are recipients of implantable cardioverter-defibrillators with respect to psychosocial adaptation, affective disorders, and quality of life?, **375**
Quality of life in patients with silent atrial fibrillation: *letter,* **216**

radiocontrast induced nephropathy, Prevention of contrast nephropathy after cardiac catheterisation: *editorial,* **361**
radiofrequency catheter ablation, Prosthetic valve endocarditis: *Education,* **590**
ramipril, Cost effectiveness of ramipril treatment for cardiovascular risk reduction, **539**
rehabilitation, A cardiac prevention and rehabilitation programme for all patients at first presentation with coronary artery disease, **533**
A rehabilitative approach to patients with internal cardioverter-defibrillators: *editorial,* **371**
remodelling, Three dimensional intravascular ultrasonic assessment of the local mechanism of restenosis after balloon angioplasty, **73**
renal disease, Clinical outcome following coronary angioplasty in dialysis patients: a case–control study in the era of coronary stenting, **556**
renin-angiotensin system, Increased risk for ischaemic events is related to combined RAS polymorphism, **458**
reperfusion, Acute myocardial infarction: failed thrombolysis: *Education,* **104**
Interfering with healing: the benefits of intervention during acute myocardial infarction, **620**
resources, Survival with congenital heart disease and need for follow up in adult life, **438**
restenosis, Clinical outcome following coronary angioplasty in dialysis patients: a case–control study in the era of coronary stenting, **556**
Cytomegalovirus, *Chlamydia pneumoniae,* and *Helicobacter pylori* IgG antibodies and restenosis after stent implantation: an angiographic and intravascular ultrasound study, **304**
Risk factors for the development of restenosis following stent implantation of venous bypass grafts, **312**
Three dimensional intravascular ultrasonic assessment of the local mechanism of restenosis after balloon angioplasty, **73**
Ultrasound guided stenting: *editorial,* **605**
revascularisation, Equity in access to exercise tolerance testing, coronary angiography, and coronary artery bypass grafting by age, sex and clinical indications, **680**
rheumatic fever, Prospective comparison of clinical and echocardiographic diagnosis of rheumatic carditis: long term follow up of patients with subclinical disease, **407**
rheumatic heart disease, Prospective comparison of clinical and echocardiographic diagnosis of rheumatic carditis: long term follow up of patients with subclinical disease, **407**
risk assessment, Absolute, attributable, and relative risk in the management of coronary heart disease: *editorial,* **491**
risk evaluation, Methods for the prediction of coronary heart disease risk: *editorial,* **489**
risk factors, Lewis phenotypes, leisure time physical activity, and risk of ischaemic heart disease: an 11 year follow up in the Copenhagen male study, **159**
Role of nested case–control studies in the difficult quest for new coronary risk factors: *editorial,* **125**
The influence of general health status and social support on symptomatic outcome following coronary artery bypass grafting, **80**
risk modification, Diabetic heart disease: clinical considerations: *Education,* **463**
risk prediction methods, Predicting and reducing cardiovascular risk: *editorial,* **487**
risk stratification, Incremental prognostic value of stress echocardiography as an adjunct to exercise electrocardiography after uncomplicated myocardial infarction, **417**
Non-cardiac surgery in the heart failure patient, **505**
Risk stratification in unstable angina and non-Q wave myocardial infarction using soluble cell adhesion molecules, **623**

sample timing, Acute and convalescent changes in plasma homocysteine concentrations in acute coronary syndromes, **380**
self-efficacy, Psychosocial components of cardiac recovery and rehabilitation attendance, **290**
sex differences, Sex differences in investigation results and treatment in subjects referred for investigation of chest pain, **149**
shunt ratio, Haemodynamic calculations in the catheter laboratory: *Education,* **113**
signal averaged ECG, Echocardiographic and signal averaged ECG indices associated with non-sustained ventricular tachycardia after repair of tetralogy of Fallot, **57**
silent atrial fibrillation, Quality of life in patients with silent atrial fibrillation: *letter,* **216**
single photon imaging, Impaired cardiac adrenergic innervation assessed by MIBG imaging as a predictor of treatment response in childhood dilated cardiomyopathy, **692**
slow pathway modification, Slow pathway modification for atrioventricular node re-entrant tachycardia: fast junctional tachycardia predicts adverse prognosis, **44**
social support, Psychosocial components of cardiac recovery and rehabilitation attendance, **290**
The influence of general health status and social support on symptomatic outcome following coronary artery bypass grafting, **80**
socieconomic deprivation, Socioeconomic differentials in recurrent ischaemia and mortality after acute myocardial infarction, **390**
specialist palliative care, Management of severe heart failure by specialist palliative care: *letter,* **93**
SPECT, Effect of power Doppler and digital subtraction techniques on the comparison of myocardial contrast echocardiography with SPECT, **549**
spironolactone, Serious adverse events experienced by patients with chronic heart failure taking spironolactone, **e8**
spontaneous closure, Spontaneous closure of congenital coronary artery fistulas, **e6**
stable angina of effort, Trial to show the impact of nicorandil in angina (IONA): design, methodology, and management, **e9**
staphylococcal infection, Endocarditis: problems—patients being treated for endocarditis and: *Education,* **470**
staphylococcal septicaemia, Cardiac rupture caused by *Staphylococcus aureus* septicaemia and pericarditis: an incidental finding, **e4**
statin treatment, An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia, **544**
Methods for the prediction of coronary heart disease risk: *editorial,* **489**
ST segment elevation, ST segment elevation in the right precordial leads following administration of class Ic antiarrhythmic drugs, **e3**
stents, Cytomegalovirus, *Chlamydia pneumoniae,* and *Helicobacter pylori* IgG antibodies and restenosis after stent implantation: an angiographic and intravascular ultrasound study, **304**
Risk factors for the development of restenosis following stent implantation of venous bypass grafts, **312**
The "angioplastically correct" follow up strategy after stent implantation: *editorial,* **363**
Long term outcome and cost-effectiveness of stenting versus balloon angioplasty for acute myocardial infarction, **667**
Clinical outcome following coronary angioplasty in dialysis patients: a case–control study in the era of coronary stenting, **556**
Effect of a high loading dose of clopidogrel on platelet function in patients undergoing coronary stent placement: *letter,* **92**
Endovascular stents in the management of coarctation of the aorta in the adolescent and adult: one year follow up, **561**
stress echo, Operator independent left ventricular function monitoring during pharmacological stress echo with the new peak transcutaneous acceleration signal, **286**
stress echocardiography, Electromechanical interrelations during dobutamine stress in normal subjects and patients with coronary artery disease: comparison of changes in activation and inotropic state, **411**
Incremental prognostic value of stress echocardiography as an adjunct to exercise electrocardiography after uncomplicated myocardial infarction, **417**
stroke, How should patients with patent foramen ovale be managed?: *editorial,* **242**
supraventricular arrhythmias, Prosthetic valve endocarditis: *Education,* **590**
survival, Outcomes following coronary artery bypass grafting and percutaneous transluminal coronary angioplasty in the stent era: a prospective study of all 9890 consecutive patients operated on in Scotland over a two year period, **662**

Socioeconomic differentials in recurrent ischaemia and mortality after acute myocardial infarction, **390**
sympathetic activation, Short term effect of continuous positive airway pressure on muscle sympathetic nerve activity in patients with chronic heart failure, **185**
syncope, Implantable loop recorder: towards a gold standard for the diagnosis of syncope?: *editorial,* **610**
systolic blood pressure, Pulse pressure and prognosis: *editorial,* **484**

tattooing, Bacterial endocarditis following repeated tattooing, **11**
tetralogy of Fallot, Echocardiographic and signal averaged ECG indices associated with non-sustained ventricular tachycardia after repair of tetralogy of Fallot, **57**
three dimensional echocardiography, Assessment of the geometric profile of the Amplatzer and Cardioseal septal occluders by three dimensional echocardiography, **451**
Three dimensional echocardiography documents haemodynamic improvement by biventricular pacing in patients with severe heart failure, **514**
thrombosis, Increased platelet reactivity and significant changes in coagulation markers after cavopulmonary connection, **61**
ticlopidine, Effect of a high loading dose of clopidogrel on platelet function in patients undergoing coronary stent placement: *letter,* **92**
tilt testing, Implantable loop recorder: towards a gold standard for the diagnosis of syncope?: *editorial,* **610**
tissue Doppler echocardiography, Assessment of left ventricular long axis contraction can detect early myocardial dysfunction in asymptomatic patients with severe aortic regurgitation, **30**
tissue plasminogen activator, Acute myocardial infarction: failed thrombolysis: *Education,* **104**
total anomalous pulmonary venous drainage, The echocardiographic diagnosis of totally anomalous pulmonary venous connection in the fetus, **433**
training, Effect of surgical training on outcome and hospital costs in coronary surgery, **454**
transcatheter embolisation, Dissolution of tungsten coils leads to device failure after transcatheter embolisation of pathologic vessels: *letter,* **703**
transoesophageal echocardiography, Diagnostic value of transoesophageal echocardiography in suspected haemodynamically significant pulmonary embolism, **628**
Emergency diagnosis of pulmonary embolism: *editorial,* **607**
How should patients with patent foramen ovale be managed?: *editorial,* **242**
transthoracic echocardiography, Emergency diagnosis of pulmonary embolism: *editorial,* **607**
troponin T, Increased concentrations of inflammatory mediators in unstable angina: correlation with serum troponin T, **571**
tungsten coils, Dissolution of tungsten coils leads to device failure after transcatheter embolisation of pathologic vessels: *letter,* **703**

ultrasonics, Cytomegalovirus, *Chlamydia pneumoniae,* and *Helicobacter pylori* IgG antibodies and restenosis after stent implantation: an angiographic and intravascular ultrasound study, **304**
ultrasound guided percutaneous thrombin injection, Ultrasound guided percutaneous thrombin injection of iatrogenic femoral artery pseudoaneurysms after coronary angiography and intervention, **e5**
ultrasound guided stents, Ultrasound guided stenting: *editorial,* **605**
unstable angina, Acute and convalescent changes in plasma homocysteine concentrations in acute coronary syndromes, **380**
Increased concentrations of inflammatory mediators in unstable angina: correlation with serum troponin T, **571**
Risk stratification in unstable angina and non-Q wave myocardial infarction using soluble cell adhesion molecules, **623**

valvar stenosis, Balloon valvuloplasty: *Education,* **223**
valve calcification, Vascular and valvar calcification: recent advances: *review,* **13**
valve replacement, Should patients with asymptomatic mild or moderate aortic stenosis undergoing coronary artery bypass surgery also have valve replacement for their aortic stenosis?: *Education,* **337**
valve surgery, Endocarditis: problems—patients being treated for endocarditis and not doing well: *Education,* **470**
varicella zoster, Varicella myocarditis in an adult, **e2**
venous thromboembolism, Acute pulmonary embolism 1: pathophysiology, clinical presentation, and diagnosis: *Education,* **229**
Acute pulmonary embolism 2: treatment: *Education,* **351**
ventricular activation, Electromechanical interrelations during dobutamine stress in normal subjects and patients with coronary artery disease: comparison of changes in activation and inotropic state, **411**
ventricular dysfunction, Exercise capacity in adult patients with congenitally corrected transposition of the great arteries, **191**
ventricular function, Operator independent left ventricular function monitoring during pharmacological stress echo with the new peak transcutaneous acceleration signal, **286**
ventricular rupture, Cardiac rupture caused by *Staphylococcus aureus* septicaemia and pericarditis: an incidental finding, **e4**
verapamil, Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study: *letter,* **578**
vessel calcification, Vascular and valvar calcification: recent advances: *review,* **13**
vitamin D receptor, The vitamin D receptor genotype predisposes to the development of calcific aortic valve stenosis, **635**
vitamin D receptor polymorphism, Why is there discordance between calcific aortic stenosis and coronary artery disease?: *editorial,* **601**

white coat hypertension, Blood pressure measurement is changing!: *editorial,* **3**

Z ratio, Electromechanical interrelations during dobutamine stress in normal subjects and patients with coronary artery disease: comparison of changes in activation and inotropic state, **411**